N.E. Lockwood Creek Road Revised Wetland Delineation and Assessment La Center, Washington



Prepared for:

La Center School District 725 Highland Road La Center, WA 98629

Prepared by:

Olson Environmental, LLC 222 E. Evergreen Blvd. Vancouver, WA 98660 (360) 693-4555

December 13, 2018



TABLE OF CONTENTS

1.0	INTRODUCTION	. 1
2.0	DELINEATION METHODS	. 1
3.0	SITE SPECIFIC METHODS	. 3
4.0	RESULTS AND DISCUSSION	. 3
	4.1 WETLANDS	. 4
	4.2 WETLAND FUNCTIONAL ASSESSMENT	. 5
	4.3 NON-WETLANDS	. 6
5.0	REGULATORY ISSUES	. 6
6.0	LITERATURE CITED	. 7

FIGURES

- FIGURE 1 PROJECT LOCATION
- FIGURE 2 CLARK COUNTY LIDAR TOPOGRAPHIC MAP
- FIGURE 3 LOCAL & NATIONAL WETLAND INVENTORY MAP
- FIGURE 4 CLARK COUNTY WEB SOIL SURVEY
- FIGURE 5 WETLAND BOUNDARIES & SAMPLE PLOTS
- FIGURE 6 WETLAND BOUNDARIES & BUFFERS
- PHOTO-SHEET 1 PROJECT AREA PHOTOGRAPHS
- APPENDIX A WETLAND DETERMINATION DATA FORMS
- APPENDIX B WETLAND RATING SYSTEM FOR WESTERN WASHINGTON
- FIGURE B1 COWARDIN VEGETATION
- FIGURE B2 HYDROPERIODS MAP
- FIGURE B3 WETLAND A LAND USE INTENSITY MAP
- FIGURE B4 WETLAND B LAND USE INTENSITY MAP
- FIGURE B5 WATER QUALITY ASSESSMENT MAP
- FIGURE B6 LIST OF TMDLS IN PROJECT WATERSHED

REVISED WETLAND DELINEATION AND ASSESSMENT

Project: NE Lockwood Creek Road Properties

Applicant: La Center School District

Location: South of NE Lockwood Creek Road, La Center,

Washington

Legal Description: NE & SE 1/4s of Sec. 02, T04N, R01E, W. M., Clark County

Serial Number(s): 209118-000 (7.39 ac.) & 209120-000 (9.78 ac.)

Study Area Size: 17.17 acres

Jurisdiction: City of La Center

Watershed: East Fork of the Lewis River

WRIA: Lewis (27)

Zoning: R1-75/LDR-7.5)

ComPlan: UL

Assessment by: Kevin Grosz, PWS, Ryan Thiele

Site Visit(s): November 20, 2017, December 6 & 7, 2018

Revised

Report Date: December 13, 2018

1.0 INTRODUCTION

This report details the results of a revised wetland delineation and assessment conducted by Olson Environmental, LLC (OE) for the La Center School District. The study area is located south of NE Lockwood Creek Road on the east edge of La Center, Washington (Fig. 1). This report identifies the extent of any wetlands and associated buffers found within the study area as defined and regulated by the US Army Corps of Engineers (USACE) and the Washington Department of Ecology (Ecology) under sections 401 and 404 of the Clean Water Act, and locally by the City of La Center under the City's Critical Areas Ordinance (18.300.090(6) – Wetlands).

Currently, the approximately 17 acre study area is vacant land. The study area appears to be used for domestic livestock grazing and/or hayland. Generally, the site is relatively flat and gently slopes from north to south (Fig. 2).

2.0 WETLAND DELINEATION AND ASSESSMENT METHODS

The wetland delineation was conducted according to the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys and Coast Region (USACE, 2010.) hereafter, referred to as the manual. According to the manual, jurisdictional wetlands are defined as:

Those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life

in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

Prior to the on-site investigations, a review of existing information related to determination of wetland boundaries was conducted. This review included the Clark County LiDAR topographic data (Fig. 2), National Wetland Inventory (NWI) data and Clark County Wetland Inventory (LWI) data (Fig. 3), NRCS Clark County Soil Survey data (Fig. 4), and aerial photographs.

The manual uses three parameters in making wetland determinations: hydrophytic vegetation, hydric soils, and wetland hydrology. Except in certain situations defined in the manual, evidence of a minimum of one positive indicator from each parameter (hydrology, soil, and vegetation) must be found in order to make a positive wetland determination.

<u>Hydrophytic vegetation</u> are plants that due to morphological, physiological, and/or reproductive adaptations, have the ability to grow, effectively compete, reproduce, and/or persist in anaerobic soil conditions. Hydrophytic vegetation is present when more than 50 percent of the dominant species have an indicator status of OBL, FACW, and/or FAC. Wetland indicator status ratings and their ordinal rating categories, based on ecological descriptions:

Indicator Status (abbreviation) Ecological Description*

Obligate (OBL) Almost always is a hydrophyte, rarely in uplands

Facultative Wetland (FACW) Usually is a hydrophyte but occasionally found in uplands

Facultative (FAC) Commonly occurs as either a hydrophyte or nonhydrophyte

Facultative Upland (FACU) Occasionally is a hydrophyte, but usually occurs in uplands

Upland (UPL) Rarely is a hydrophyte, almost always in uplands.

*Source: Lichvar and Minkin (2008)

Hydric soils are soils that are saturated, flooded, or ponded long enough during the growing season to develop anaerobic conditions that favor the growth and regeneration of hydrophytic vegetation. The presence or absence of hydric soils is determined in the field by digging soil pits to a depth of a minimum of 16 inches and examining the soil for hydric soil indicators. Organic soils such as peats and mucks are considered hydric soils. Mineral hydric soils are generally either gleyed or have redox concentrations and/or low matrix chroma immediately below the A-horizon or 10 inches (whichever is shallower). Soil colors are determined using the Munsell Soil Color Chart (Munsell Color System 2009).

Wetland hydrology is present when an area is inundated or saturated to the surface for at least 5 percent of the growing season. The growing season is defined as the portion of the year when soil temperature at 19.7 inches below the soil surface is greater than biological zero (5 degrees C). The site was examined for standing water and/or saturated soils, which serve as primary indicators of wetland hydrology. The area was also checked for other wetland hydrologic characteristics such as watermarks, drift lines, wetland drainage patterns, and morphological plant adaptations.

3.0 SITE SPECIFIC METHODS

OE conducted the onsite wetland delineation and assessment on November 20, 2017 and December 6 and 7, 2018, using the methodology found in the Regional Supplement to the Manual (USACE 2010). In addition, applicable guidance and any supporting technical guidance documents issued by the USACE, Ecology, and Clark County GIS were also utilized.

The entire site was first traversed by foot to observe any visible wetland conditions. Once the general location of the wetland boundaries were identified, paired data plots were taken in areas that represented the conditions of the uplands and wetlands, respectively. One and ten meter radius plots were chosen in a uniform topographic position that was representative of a single plant community. The paired plots were located approximately 5 - 10 feet apart to minimize the margin of error. Soils at each sample plot were typically inspected to a depth of 16 inches (or more) to determine the presence or absence of hydric soil characteristics and/or wetland hydrology. Data sheets for the sample plots are attached in Appendix A.

The wetland boundaries were determined based on the presence of hydric soils, the presence of wetland hydrology (i.e. oxidized rhizospheres along living roots, soil saturation), and a dominance of hydrophytic vegetation. It should be noted that only paired plots were recorded in the field, however, numerous unrecorded plots were dug to confirm wetland boundaries. The on-site wetlands were classified according the USFWS classification system (Cowardin et al. 1979) and the Hydrogeomorphic (HGM) Classification system (Adamus et al. 2001).

4.0 RESULTS AND DISCUSSION

According to the NWI/LWI wetlands map (Fig. 3) no wetlands have been identified within the study area. It should be noted that these maps are created through aerial photograph and topographic map interpretation and are not intended to represent the extent of jurisdictional wetlands. There may be unmapped wetland and waters subject to regulation and all wetlands and waters boundary mapping is approximate. In all cases, actual field conditions determine the presence, absence and boundaries of wetlands and waters

Two soil types are mapped on the site (Fig. 4):

Gee Silt Loam, 0 to 8 percent slopes (GeB). Gee soils are deep, moderately well drained soils formed in the old alluvium deposited by the Columbia River. They are moderately permeable in the surface layer and very slow in the subsurface, surface runoff is slow and the erosion hazard is slight. In a typical profile, these soils are a very dark grayish brown (10YR 3/2) silt loam in the upper nine inches. Below this to a depth of 14 inches they are

a dark grayish brown (10YR 4/2) silt loam with yellowish brown (10YR 5/6) concentrations. It is listed as a **non-hydric** soil.

Odne silt loam, 0 to 5 percent slopes (OdB). This soil generally occurs in concave areas in drainageways or depressions within areas of Gee soils. In most places the slope is 1 to 2 percent. In a typical profile, the surface layer is about 10 inches thick. It is mottled, dark-gray heavy silt loam in the upper part. The subsurface layer is firm, mottled, gray silt loam about nine inches thick. The next eight inches is very firm, mottled, dark-gray silty clay loam that overlies six inches of firm, mottled, dark-gray clay loam. This soil is poorly drained and very slowly permeable. A high water table is common in winter. It is classified as a hydric soil according to the Clark County hydric soils list.

4.1 WETLANDS (FIG. 5)

Five wetlands were identified and delineated within the study area as shown in Figures 5 and 6. A description of each of these wetlands follows:

Wetland A – occurs in the southwestern portion of the study area (Fig. 5). The wetland is an open grassland plant community that was more than likely seeded with a pasture/hay mixture. The wetland plant community is predominantly colonial bent grass (*Agrostis capillaris* - FAC), spreading bentgrass (*A. stolonifera* – FAC), velvet grass (*Holcus lanatus* – FAC), reed canarygrass (*Phalaris arundinacea* – FACW), tall false rye grass (*Schedonorus arundinaceus* - FAC), and sweet vernal grass (*Anthoxanthum odoratum* – FACU). Soils from 0 to 5 inches area a very dark grayish brown (10YR 3/2) silt loam. Below this to a depth of >16 inches the soil is a very dark gray (10YR 3/1) silty clay loam with dark reddish brown (5YR 3/3) concentrations. Wetland hydrology was indicated by the presence of surface water (1" depth) and soil saturation to the surface. The wetland is a depressional HGM class wetland. Table 1 outlines the functional assessment for this wetland.

Wetland B – is located in the northern portion of the property (Fig 5). Vegetation in Wetland B consists of reed canarygrass, spreading bent grass, colonial bent grass, velvet grass, and soft rush (*Juncus effusus* – FACW). Soils are a dark gray (10YR 4/1) silt loam with dark reddish brown (10YR 3/3) concentrations to a depth of >16 inches. Wetland hydrology was indicated by water and soil saturation at the surface. It appears that portions of this part of the study area may contain drain tile that are artificially draining the area. This is a slope HGM class wetland. Table 1 outlines the functional assessment for this wetland.

Wetland C – is located in the south of Wetland B (Fig 5). Vegetation in Wetland C consists of spreading bent grass, colonial bent grass, tall false rye grass, cat's ear (*Hypochaeris radicata* – FACU), and creeping buttercup (*Ranunculus repens* – FAC). Soils are a dark grayish brown (10YR 4/2) silt loam/clayey silt loam in the upper 10 inches with dark brown (7.5YR 3/3) concentrations in the bottom half of this layer. From 10 to 16 inches below the surface the soil is a dark gray (7.5YR 4/1) clay loam with dark yellowish brown (10YR 4/6) concentrations. No ponding or saturation was observed in

this wetland, however wetland hydrology is assumed based on the presence of oxidized rhizospheres, saturation visible on aerial imagery and geomorphic position. This is a depressional HGM class wetland. Table 1 outlines the functional assessment for this wetland.

Wetland D – is located near the center of the site (Fig 5). Vegetation in Wetland D is predominantly spreading bent grass, velvet grass, tall false rye grass, cat's ear, and creeping buttercup. Soils to a depth of nine inches are a brown (7.5YR 4/2) silt loam with dark brown (7.5YR 3/2) concentrations in the bottom half of this layer. Below nine inches the soil is a brown (7.5YR 4/2) clayey silt loam with dark brown (7.5YR 3/3) concentrations. No ponding or saturation was observed in this wetland, however wetland hydrology is assumed based on the presence of oxidized rhizospheres, saturation visible on aerial imagery and geomorphic position. This is a slope HGM class wetland. Table 1 outlines the functional assessment for this wetland.

Wetland E—is located in the southeast corner of the site (Fig 5). Vegetation in Wetland E consists of spreading bent grass, velvet grass, tall false rye grass, cat's ear, soft rush, and perennial rye grass (*Lolium perenne* – FAC). The top four inches of the soil is a dark grayish brown (10YR 4/2) silt loam. From 4-12 inches the soil is a dark gray (10YR 4/1) clayey silt loam with dark brown (7.5YR 3/3) concentrations. Below this to a depth of 16 inches the soil is a gray (10YR 5/1) clayey silt loam with brown (7.5YR 4/4) concentrations. No ponding or saturation was observed in this wetland, however wetland hydrology is assumed based on the presence of oxidized rhizospheres, saturation visible on aerial imagery and geomorphic position. This is a depressional HGM class wetland. Table 1 outlines the functional assessment for this wetland.

4.2 WETLAND FUNCTIONAL ASSESSMENT

The delineated wetlands have been assessed using the Washington State Wetland Rating System for Western Washington (Hruby Update 2014). The system was designed to differentiate between wetlands based on their sensitivity to disturbance, their significance, their rarity, our ability to replace them, and the functions they provide. Through a series of questions, the wetland rating system generates a number for water quality functions, hydrologic functions, and habitat function, which creates as overall wetland function score. Based on the total score, the wetland is categorized as a Category I, II, III, or IV wetland. Table 1 below summarizes the wetland type, total score for functions, and category of wetlands identified within the study area.

Table 1. Wetland Function Rating

Wetland	Wetland Type	Water Quality Functions	Hydrologic Functions	Habitat Functions	Total Score	Wetland Category
A	Depressional	5	4	5	14	IV
В	Slope	6	5	5	16	III
C	Depressional	6	4	5	15	IV
D	Slope	5	4	5	14	IV
Е	Depressional	6	4	5	14	IV

4.3 NON-WETLANDS

The non-wetland portions of the property are primarily open grassland that appears to be used primarily as hayland and may also be used to graze domestic livestock. Vegetation in the upland areas is similar to the wetland vegetation and is more than likely a pasture seed mixture that has been sown for the pasture/hay uses. The area is significantly disturbed due to past uses.

Photographs of the study area and wetlands are provided in Photo-Sheet 1.

5.0 REGULATORY ISSUES

Through the course of the wetland delineation and assessment five wetlands were identified on the property as shown in Figures 5 and 6. The wetland buffers are based on the guidelines of LMC 18.300.090(6). This section of the LMC provides for the protection of wetlands within the City's jurisdiction. The ordinance establishes protective buffers associated with wetlands and specifies that certain permits or approvals be obtained for projects containing wetlands or their respective buffers.

As shown in Table 1, Wetlands A, C, D, and E are Category IV wetlands with a low habitat score and Wetland B is a Category III wetland with a low habitat score. According to LMC Table 18.300.090(h)(i)-1 Category III wetlands in a proposed high intensity land use with a low habitat score are protected by an 80-foot buffer (Fig. 6). Category IV wetlands are protected by a 50-foot buffer (Fig. 6).

In addition to LMC 18.300.090(6), jurisdictional wetlands are also regulated at the federal and state levels by the USACE and Ecology under Sections 404 and 401 of the Clean Water Act, respectively. Any impacts to the wetlands will require notification and approval from the USACE and Ecology. It is recommended that the USACE and Ecology be contacted regarding current permit requirements before proceeding with any development activities that would impact wetlands on this site.

The wetland boundaries and classifications shown in this report have been determined using the most appropriate field techniques and best professional judgment of the environmental scientist. It should be noted that USACE and City of La Center have the final authority in determining the wetland boundaries and categories under their respective jurisdictions. It is recommended that this delineation report be submitted to these agencies for concurrence prior to starting any development or planning activities that would affect wetlands or buffers on this site.

6.0 LITERATURE CITED

Adamus, et al. 2001. <u>Guidebook for Hydrogeomorphic (HGM) Based Assessments of Oregon Wetlands and Riparian Sites.</u> Statewide Classification and Profiles. Oregon State Department of State Lands, Salem, Oregon.

Cowardin, L.M., V. Carter, F.C. Bolet, and E.T. LaRoe. 1979. <u>Classification of Wetlands and Deepwater Habitats of the United States.</u> U.S. Fish and Wildlife Services Biological Services Program FWS/OBS-79/31. Superintendent of Documents, U.S. Government Printing Office, Washington, D.C.

Department of the Army. 1987. <u>Corps of Engineers Wetlands Delineation Manual.</u> Technical Report Y-87-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi.

Hruby, T. 2014. Washington State Wetland Rating System for Western Washington – 2014 Update. Washington State Department of Ecology Publication # 14-06-29. http://www.ecy.wa.gov/pubs/0406025.pdf

Munsell Color System. 2009. <u>Munsell Soil Color Charts.</u> Produced by x-rite. 4300 44th Street, Grand Rapids, MI 49512.

Lichvar, R.W. 2012. The National Wetland Plant List – Western Mountains, Valleys, and Coast 2012 Final Regional Wetland Plant List. ERDC/CRREL TR-12-11. Hanover, NW: U.S. Army Corps of Engineers, Cold Region Research and Engineering Laboratory.


U.S. Army Corps of Engineers. 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region. ERDC/EL TR-10-3, Vicksburg MS.

Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at http://websoilsurvey.nrcs.usda.gov/. Accessed 8/5/2015.

FIGURES

FΙ	GURE	1_	PRC)JECT	LOC	CATIO	N

- FIGURE 2 CLARK COUNTY LIDAR TOPOGRAPHIC MAP
- FIGURE 3 LOCAL & NATIONAL WETLAND INVENTORY MAP
- FIGURE 4 CLARK COUNTY WEB SOIL SURVEY
- FIGURE 5 WETLAND BOUNDARIES & SAMPLE PLOTS
- FIGURE 6 WETLAND BOUNDARIES & BUFFERS
- PHOTO-SHEET 1 PROJECT AREA PHOTOGRAPHS



La Center School District 725 Northeast Highland Avenue La Center, WA 98629


PURPOSE: Revised Wetland Delineation & Assessment

Project Location Map N.E. Lockwood Creek Road La Center, Washington



East Fork of the Lewis River LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.
NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018




APPLICANT: La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Clark County LiDAR Topographic Map N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:
East Fork of the Lewis River
LEGAL: SE & NE 1/4s of Section 02, T4N,
R1E, W. M.
NEAR: La Center, Washington
COUNTY: Clark County
DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Clark County GIS Wetland Map N.E. Lockwood Creek Road La Center, Washington




PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington **COUNTY:** Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

NRCS Clark County Soil Survey Map N.E. Lockwood Creek Road La Center, Washington




PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Delineated Wetland Boundaries/Sample Plots N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Delineated Wetland Boundaries/Buffers N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018













APPLICANT: La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Study Area Photographs N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN: East Fork of the Lewis River
LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.
NEAR: La Center, Washington
COUNTY: Clark County
DATE: December 13, 2018 Photo-Sheet 1

APPENDIX A – WETLAND DATA SHEETS

Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Investigator(s): <u>Kevin Grosz</u> Section, Townsh Landform (hillslope, terrace, etc.): <u>Plain</u> Local r Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	ip, Range: <u>02/4N</u> elief (concave, cor Lat: assification: <u>Nor</u> this time of year? disturbed? oblematic?	N1E nvex, none): <u>Noted</u> 45.85753780 ne ? <u>Yes</u> (if no, exp	Long: <u>-122.6</u> Dlain in Rema Are "Normal (if needed, e transects, i	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
VEGETATION – Use scientific names of plants.				
Tree Stratum (Plot size: 0) 1. 2. 3.	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A) Total Number of Dominant
4. Total Cover = 0 Sapling/Shrub Stratum (Plot size: 0)				Species Across All Strata: <u>1</u> (B) Percent of Dominant Species
1. 2. 3. 4. 5. Total Cover = 0 Herb Stratum (Plot size: _5M_) 1. Agrostis capillaris 2. Schedonorus arundinaceus 3. Ranunculus repens 4. 5. 6. 7. 8. 9. 10. 11. Total Cover = 75	50 15 10	Yes No No	FAC FAC FAC	That Are OBL, FACW, or FAC: 0 (A/B) Prevalence Index worksheet: Total % Cover of: Multiply by: OBL species 0 x 1 = 0 FACW species 0 x 2 = 0 FAC species 0 x 3 = 0 FACU species 0 x 4 = 0 UPL species 0 x 5 = 0 Column Totals: 0 (A) 0 (B) Prevalence Index = B/A = 0 Hydrophytic Vegetation Indicators: 1 -Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test >50% 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptions¹ (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vascular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
% Bare Ground in Herb Stratum: <u>0</u>				Hydrophytic Vegetation Present? Yes
Remarks:				

SOIL Sampling Point: 1

	Mat	rix		Redox F	eatures				
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks
(inches)									
0-16	10YR 3/2	<u>0</u>		<u>0</u>					
¹Type: C=	-Concentration, D	=Depletior	, RM=Reduced Ma	atrix, CS=0	Covered o	^r Coated S	and Grains.	² Location: Pl	_=Pore Lining, M=Matrix
Hydric So	il Indicators: (Ap	plicable to	all LRRs, unless ot	herwise r	noted.)			Indicato	rs for Problematic Hydric Soils ³ :
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cr	m Muck (A10)
Histic	Epipedon (A2)			ipped Ma					Parent Material (TF2)
	Histic (A3)					(F1) (exc	ept MLRA 1)	·	ry Shallow Dark Surface (TF12)
	ogen Sulfide (A4)		· · · · · · · · · · · · · · · · · · ·	-	ed Matrix		,	·	er (Explain in Remarks)
	eted Below Dark S	Surface (A1		pleted M		(. –)			er (Explain in Nemana)
	Dark Surface (A1	•			Surface (F	6)		3Indicat	ors of hydrophytic vegetation and
	/ Mucky Mineral (-			ark Surface	•			d hydrology must be present, unless
	/ Gleyed Matrix (S			•	essions (F				ed or problematic.
			Re	аох Берг	essions (F	>)			
	e Layer (if prese	nt):							
Type:								Uvdric (Soil Present? <u>No</u>
Depth (in	cnes): <u>U</u>							пуштс	on Fresent: NO
Remarks:									
HYDROLO									
	Hydrology Indica		equired; check all	that annly	٨			Cocondon	Indicators (two or more required)
		ini oi one i	· · · · · · · · · · · · · · · · · · ·		•	'DO\			Indicators (two or more required)
	ce Water (A1)				ed Leaves (. ,		l —	-Stained Leaves (B9)(MLRA 1,2,4A,4B)
	Water Table (A2)		•	-	RA 1,2,4A,	and 4B)			ge Patterns (B10)
X Satura			· 	Crust (B	•				ason Water Table (C2)
	r Marks (B1)				rtebrates (•			tion Visible on Aerial Imagery (C9)
Sedim	ent Deposits (B2))	Нус	lrogen Su	lfide Odor	(C1)		Geom	orphic Position (D2)
Drift [Deposits (B3)		Oxi	dized Rhi	zospheres	along Livi	ng Roots (C3)	Shallo	w Aquitard (D3)
Algal I	Mat or Crust (B4)		Pre	sence of I	Reduced Ir	on (C4)		FAC-N	eutral Test (D5)
Iron D	eposits (B5)		Rec	ent Iron F	Reduction	in Tilled S	oils (C6)	Raised	Ant Mounds (D6)(LRR A)
Surfac	ce Soil Cracks (B6))	Stu	nted or St	tressed Pla	nts (D1)(I	.RR A)	Frost-l	Heave Hummocks (D7)
Inund	ation Visible on A	erial Image	ery (B7)Oth	er (Explai	in in Rema	rks)			
Sparse	ely Vegetated Cor	ncave Surfa	ce (B8)						
Field Obse	ervations:							<u>I</u>	
Surface W	ater Present? Ye	<u>es</u>	Depth (in	ches): <u>0</u>					
Water Tak	ole Present? Ye	<u>es</u>	Depth (in	ches):					
Saturation	n Present? Ye	<u>es</u>	Depth (ir	iches): 4					
	apillary fringe)						Wetland Hyd		ent: Yes
Describe F	Recorded Data (st	ream gaug	e, monitoring well	, aerial ph	notos, prev	ious inspe	ections), if availa	ible:	
Domarie									
Remarks:									

Applicant/Owner: <u>La Center School District</u> State: <u>W.</u> Investigator(s): <u>Kevin Grosz</u> Section, Towns Landform (hillslope, terrace, etc.): <u>Plain</u> Local Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	hip, Range: <u>02/4N</u> relief (concave, col Lat: classification: None or this time of year? cly disturbed? problematic?	N/1E nvex, none): <u>Noted</u> 45.85758670 e ? <u>Yes</u> (if no, exp	Long: <u>-122.6</u> plain in Rema Are "Normal (if needed, e transects, i	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
VEGETATION – Use scientific names of plants.	Absolute %	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 0)	Cover	Species?	Status	Number of Dominant Species
1. 2.				That Are OBL, FACW, or FAC: 1 (A)
3.				Total Number of Dominant
4.				Species Across All Strata: $\underline{1}$ (B)
Total Cover = <u>0</u>				Percent of Dominant Species
Sapling/Shrub Stratum (Plot size: _0_) 1.				That Are OBL, FACW, or FAC: 100 (A/B)
2.				Prevalence Index worksheet:
3.				Total % Cover of: Multiply by:
4.				OBL species $\underline{0}$ x 1 = $\underline{0}$ FACW species $\underline{0}$ x 2 = $\underline{0}$
5. Total Cover =0				FAC species $\underline{0}$ \times 3 = $\underline{0}$
Herb Stratum (Plot size: 5M)				FACU species $0 \times 4 = 0$
1. Agrostis stolonifera	<u>60</u>	<u>Yes</u>	FAC	UPL species $\underline{0}$ x 5 = $\underline{0}$
2. Agrostis capillaris	<u>10</u>	No	FAC	Column Totals: $\underline{0}$ (A) $\underline{0}$ (B)
3. Phalaris arundinacea	<u>5</u>	<u>No</u>	<u>FACW</u>	Prevalence Index = B/A = 0
4. 5.				
6.				Hydrophytic Vegetation Indicators:
7.				1 –Rapid Test for Hydrophytic Vegetation
8.				$\frac{X}{2}$ 2 − Dominance Test >50% 3 - Prevalence Index is ≤ 3.0 ¹
9.				4 - Morphological Adaptions¹ (Provide supporting
11.				data in Remarks or on a separate sheet)
Total Cover = <u>75</u>				5 - Wetland Non-Vascular Plants ¹ Problematic Hydrophytic Vegetation ¹ (Explain)
				Problematic Hydrophytic Vegetation (Explain)
Woody Vine Stratum (Plot size: 0)				¹ Indicators of hydric soil and wetland hydrology
1.				must be present, unless disturbed or problematic.
2.				
Total Cover = <u>0</u>				
% Bare Ground in Herb Stratum: <u>0</u>				Hydrophytic Vegetation Present? Yes
Remarks:				

SOIL Sampling Point: New Point 2

	Mati	<u>rix</u>		Redox I	<u>Features</u>						
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks		
(inches)											
<u>0-5</u>	10YR 3/2	<u>100</u>	ļ	<u>0</u>		ļ					
5-16	10YR 3/1	80	5YR 3/3	20	<u>c</u>	M	Clay Loam				
3 10	<u>1011(3/1</u>	<u> </u>	<u>511(3/5</u>	20		<u>ivi</u>	<u>Clay Loans</u>				
				Í							
¹Tvpe: C=	¹ Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ² Location: PL=Pore Lining, M=Matrix										
			all LRRs, unless ot						rs for Problematic Hydric Soils ³ :		
		Jiicabie to							•		
·	sol (A1)			ndy Redo					m Muck (A10)		
Histic	Epipedon (A2)		Sti	ripped Ma	atrix (S6)				l Parent Material (TF2)		
Black	Histic (A3)		Lo	amy Muc	ky Minera	l (F1) (exc	ept MLRA 1)	Ve	ry Shallow Dark Surface (TF12)		
Hydro	ogen Sulfide (A4)		Lo	amy Gley	ed Matrix	(F2)		Oth	er (Explain in Remarks)		
Deple	ted Below Dark S	urface (A1:	1)D∈	epleted M	atrix (F3)						
Thick	Dark Surface (A12	2)	<u>X</u> Re	dox Dark	Surface (F	· 6)		³ Indicat	ors of hydrophytic vegetation and		
Sandy	/ Mucky Mineral (S1)	De	epleted Da	ark Surface	e (F7)		wetland	d hydrology must be present, unless		
	, Gleyed Matrix (S				essions (F			disturb	ed or problematic.		
	e Layer (if presen										
Type:	e Layer (ii presen	ıtj.									
Depth (in	chos): 0							Hydric	Soil Present? Yes		
								,	<u></u>		
Remarks:											
HYDROLO											
	Hydrology Indicat			annlı	Α.			Casandan	the disease (time or more required)		
		m or one n	equired; check all			•			Indicators (two or more required)		
·	ce Water (A1)				ed Leaves (` '		Water-Stained Leaves (B9)(MLRA 1,2,4A,4B)			
High V	Water Table (A2)		(е	xcept ML	RA 1,2,4A,	, and 4B)		Drainage Patterns (B10)			
X Satura	tion (A3)		Salt	t Crust (B	11)			Dry-Se	eason Water Table (C2)		
Water	Marks (B1)		Aqı	uatic Inve	rtebrates ((B13)		Satura	tion Visible on Aerial Imagery (C9)		
Sedim	ent Deposits (B2)	,	Нус	drogen Su	ılfide Odor	· (C1)		Geom	orphic Position (D2)		
	Deposits (B3)			_			ng Roots (C3)		w Aquitard (D3)		
	Mat or Crust (B4)				Reduced Ir	_	,		eutral Test (D5)		
	eposits (B5)		·		Reduction		oils (C6)		Ant Mounds (D6)(LRR A)		
									, ,, ,		
	ce Soil Cracks (B6)		·		tressed Pla		LKK A)	F1U5t-1	Heave Hummocks (D7)		
	ation Visible on A	_		ier (Expiai	in in Rema	irks)					
-	ely Vegetated Con	icave Surta	ce (B8)				1				
Field Obse											
	/ater Present? Ye		Depth (in								
	ole Present? <u>Ye</u>	 '	Depth (in								
	n Present? <u>Ye</u>	<u>S</u>	Depth (ir	nches): <u>0</u>			Wetland Hy	drology Pres	ent? Vas		
	apillary fringe) Recorded Data (st	ream gallg	e, monitoring well	aerial nł	notos nrev	vious insne					
Describe i	recorded Data (St	Team Baub	e, monitoring wen	, acriai pi	iotos, pres	/IUus IIIspi	ections), ii avan	iabic.			
Remarks:											

Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Investigator(s): <u>Kevin Grosz</u> Section, Townsh Landform (hillslope, terrace, etc.): <u>Plain</u> Local I Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	nip, Range: <u>02/4N</u> relief (concave, cor Lat: lassification:None r this time of year; y disturbed? roblematic?	1/1 <u>E</u> nvex, none): <u>Note 45.85770970</u> Provided in the expension of th	Long: <u>-122.6</u> Dlain in Rema Are "Normal (if needed, e transects, i	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
VECETATION . He esigntific manner of plants				
VEGETATION – Use scientific names of plants. Tree Stratum (Plot size: 0) 1. 2. 3.	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant
4.				Species Across All Strata: <u>2</u> (B)
Total Cover = 0 Sapling/Shrub Stratum (Plot size: 0) 1.				Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)
2. 3. 4. 5. Total Cover = 0 Herb Stratum (Plot size: _5M_) 1. Holcus lanatus 2. Agrostis stolonifera 3. Phalaris arundinacea 4. 5. 6. 7. 8. 9. 10. 11. Total Cover = 85 Woody Vine Stratum (Plot size: _0_) 1. 2. Total Cover = 0	20 50 15	Yes Yes No	FAC FAC FACW	Prevalence Index worksheet: Total % Cover of: OBL species 0
% Bare Ground in Herb Stratum: <u>0</u>				Hydrophytic Vegetation Present? Yes
Remarks:				, , , , , , , , , , , , , , , , , , ,

SOIL Sampling Point: 3

	Mat	<u>rix</u>		Redox I	-eatures						
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks		
(inches)	40)/D 4/4	70	5) (D. 2./2	20							
<u>0-16</u>	<u>10YR 4/1</u>	<u>70</u>	<u>5YR 3/3</u>	<u>30</u>	<u>C</u>	<u>M</u>	<u>Clay Loam</u>				
¹Type: C=	Concentration, D	=Depletior	, RM=Reduced Ma	atrix, CS=0	Covered o	r Coated S	and Grains.	² Location: P	L=Pore Lining, M=Matrix		
Hydric So	Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils ³ :										
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cr	m Muck (A10)		
Histic	Epipedon (A2)		St	ripped Ma	atrix (S6)			Rec	l Parent Material (TF2)		
Black	Histic (A3)		Lo	amy Muc	ky Minera	(F1) (exc	ept MLRA 1)	Ve	ry Shallow Dark Surface (TF12)		
Hydro	ogen Sulfide (A4)		Lo	amy Gley	ed Matrix	(F2)		Oth	ner (Explain in Remarks)		
Deple	ted Below Dark S	urface (A1	L) <u>X</u> De	epleted M	atrix (F3)						
	Dark Surface (A1		· · · · · · · · · · · · · · · · · · ·		Surface (F				cors of hydrophytic vegetation and		
-	Mucky Mineral (ark Surface				d hydrology must be present, unless ed or problematic.		
-	Gleyed Matrix (S		Re	dox Depr	essions (F8	3)		distalb	ed of problematic.		
	e Layer (if preser	nt):									
Type:	chas): 0							Hydric Soil Present? <u>Yes</u>			
Depth (in	· -							,			
Remarks:											
HYDROLO											
	Hydrology Indicat Idicators (minimu		equired; check all	that apply	/)			Secondary	ndicators (two or more required)		
	ce Water (A1)				ed Leaves ((RQ)		Water-Stained Leaves (B9)(MLRA 1,2,4A,4B)			
· · ·	Vater Table (A2)				RA 1,2,4A,	•			age Patterns (B10)		
X Satura			•	t Crust (B:		, a.i.a 15,			eason Water Table (C2)		
	Marks (B1)				, rtebrates (B13)			ition Visible on Aerial Imagery (C9)		
	ent Deposits (B2)				lfide Odor				orphic Position (D2)		
Drift D	Deposits (B3)		· · · · · · · · · · · · · · · · · · ·	_			ng Roots (C3)		w Aquitard (D3)		
Algal I	Mat or Crust (B4)		Pre	sence of	Reduced Ir	on (C4)		FAC-N	eutral Test (D5)		
Iron D	eposits (B5)		Rec	ent Iron I	Reduction	in Tilled S	oils (C6)	Raised	Ant Mounds (D6)(LRR A)		
Surfac	e Soil Cracks (B6)		Stu	nted or S	tressed Pla	nts (D1)(I	LRR A)	Frost-	Heave Hummocks (D7)		
	ation Visible on A	•		ner (Expla	in in Rema	rks)					
Sparse	ely Vegetated Cor	ncave Surfa	ce (B8)								
	ervations:		//								
	/ater Present? <u>No</u> ble Present? Ye		Depth (ind Depth (in	•							
Saturation				nches): <u>4</u>							
	apillary fringe)						Wetland Hyd	drology Pres	ent? Yes		
Describe F	Recorded Data (st	ream gaug	e, monitoring well	, aerial ph	notos, prev	ious inspe	ections), if availa	able:			
Remarks:											

Project/Site: <u>NE Lockwood Creek Road</u> City	/County: <u>La Center/</u>	<u>Clark</u>		Sampling Date: <u>11/20/2017</u>					
Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Sampling Point: <u>4</u>									
	ship, Range: <u>02/4N</u>	<u>/1E</u>							
Landform (hillslope, terrace, etc.): <u>plain</u> Loca	Il relief (concave, co	nvex, none): <u>No</u>	one Slo	ppe (%): <u>3</u>					
Subregion (LRR): Northwest Forests & Coast (LRR A)	Lat:	45.85990740	Long: <u>-122.6</u>	54974100 Datum: <u>WGS84</u>					
Soil Map Unit Name: Odne Silt Loam NWI classificat	tion: <u>None</u>								
Are climatic/hydrologic conditions on the site typical f	for this time of year?	? Yes(if no, exp	olain in Rema	rks.)					
Are Vegetation, Soil, or Hydrology significan	tly disturbed?		Are "Normal	Circumstances" present? Yes					
Are Vegetation, Soil, or Hydrology naturally	problematic?		(if needed, e	xplain any answers in Remarks.)					
SUMMARY OF FINDINGS – Attach site map show	wing sampling poi	int locations,	transects, i	mportant features, etc.					
Hydrophytic Vegetation Present? Yes									
Hydric Soil Present? Yes		Is the S	Sampled Area	a within a Wetland? <u>No</u>					
Wetland Hydrology Present? <u>Yes</u>		15 tile t	Janipica / II ci						
Remarks:									
VEGETATION – Use scientific names of plants.									
·	Absolute %	Dominant	Indicator	Dominance Test worksheet:					
<u>Tree Stratum</u> (Plot size: <u>0</u>)	Cover	Species?	Status	Number of Dominant Species					
1.				That Are OBL, FACW, or FAC: $\underline{2}$ (A)					
2.									
3.				Total Number of Dominant					
4. Total Cover =0				Species Across All Strata: <u>2</u> (B)					
				Percent of Dominant Species					
Sapling/Shrub Stratum (Plot size: 0)				That Are OBL, FACW, or FAC: 100 (A/B)					
1. 2.				Prevalence Index worksheet:					
3.				Total % Cover of: Multiply by:					
4.				OBL species $\underline{0}$ x 1 = $\underline{0}$					
5.				FACW species $0 \times 2 = 00$					
Total Cover = <u>0</u>				FAC species $\underline{0}$ $\times 3 = \underline{0}$					
Herb Stratum (Plot size: <u>5M</u>)				FACU species $\underline{0}$ \times 4 = $\underline{0}$ UPL species $\underline{0}$ \times 5 = $\underline{0}$					
1. Phalaris arundinacea	<u>20</u>	<u>Yes</u>	<u>FACW</u>	Column Totals: $\underline{0}$ (A) $\underline{0}$ (B)					
2. Agrostis stolonitera	<u>50</u>	Yes No	FAC	<u>s</u> (2)					
Holcus lanatus Juncus effusus	<u>6</u> <u>10</u>	<u>No</u> No	<u>FAC</u> <u>FACW</u>	Prevalence Index = $B/A = 2.65$					
5.	10	110	IACW						
6.				Hydrophytic Vegetation Indicators:					
7.				1 –Rapid Test for Hydrophytic Vegetation					
8.				$\frac{X}{2}$ 2 – Dominance Test >50% 3 - Prevalence Index is ≤ 3.0¹					
9.				4 - Morphological Adaptions ¹ (Provide supporting					
10.				data in Remarks or on a separate sheet)					
11. Total Cover =86				5 – Wetland Non-Vascular Plants ¹					
10tal covel – <u>80</u>				Problematic Hydrophytic Vegetation ¹ (Explain)					
Woody Vine Stratum (Plot size: _0_)				¹ Indicators of hydric soil and wetland hydrology					
1.				must be present, unless disturbed or problematic.					
2.									
Total Cover = <u>0</u>									
% Bare Ground in Herb Stratum: 0				Hadron had a Manadad an Barrand 2 Man					
Remarks:]		Hydrophytic Vegetation Present? Yes					
nemarks.									

SOIL Sampling Point: 4

	Mat	<u>rix</u>		Redox F	-eatures						
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks		
(inches)	40)/D 4/4	00	5) (D. 2./2	20			6.11				
<u>0-16</u>	<u>10YR 4/1</u>	<u>80</u>	<u>5YR 3/3</u>	<u>20</u>	<u>C</u>	<u>M</u>	<u>Silt Loam</u>				
¹Type: C=	Concentration, D	=Depletion	, RM=Reduced M	atrix, CS=0	Covered o	r Coated S	and Grains.	² Location: Pl	L=Pore Lining, M=Matrix		
Hydric So	Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils ³ :										
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cr	m Muck (A10)		
	Epipedon (A2)			ripped Ma					l Parent Material (TF2)		
Black	Histic (A3)		Lo	amy Muc	ky Minera	l (F1) (exc	ept MLRA 1)	Ve	ry Shallow Dark Surface (TF12)		
Hydro	gen Sulfide (A4)		Lo	amy Gley	ed Matrix	(F2)		Oth	er (Explain in Remarks)		
Deple	ted Below Dark S	urface (A1:	L) <u>X</u> De	epleted M	atrix (F3)						
Thick	Dark Surface (A12	2)	Re	dox Dark	Surface (F	6)		II .	ors of hydrophytic vegetation and		
Sandy	Mucky Mineral (S1)	De	pleted Da	ark Surface	e (F7)			d hydrology must be present, unless		
Sandy	Gleyed Matrix (S	54)	Re	dox Depr	essions (F	3)		disturb	ed or problematic.		
Restrictive Layer (if present):											
Type:											
Depth (in	ches): <u>0</u>							Hydric	Soil Present? <u>Yes</u>		
Remarks:											
HYDROLO	GY										
	Hydrology Indicat				_						
Primary Ir	idicators (minimu	m of one r	equired; check all	that apply	/)			Secondary	Indicators (two or more required)		
Surfac	e Water (A1)		Wa	ter-Staine	ed Leaves	(B9)		Water-Stained Leaves (B9)(MLRA 1,2,4A,4B)			
_	Vater Table (A2)		•	•	RA 1,2,4A	and 4B)			ge Patterns (B10)		
X_Satura	tion (A3)		Salt	t Crust (B	11)			Dry-Se	eason Water Table (C2)		
Water	Marks (B1)		Aqı	uatic Inve	rtebrates (B13)		Satura	tion Visible on Aerial Imagery (C9)		
Sedim	ent Deposits (B2)		Нус	drogen Su	lfide Odor	(C1)		Geom	orphic Position (D2)		
	Deposits (B3)						ng Roots (C3)		w Aquitard (D3)		
	Mat or Crust (B4)				Reduced Ir				eutral Test (D5)		
	eposits (B5)				Reduction				Ant Mounds (D6)(LRR A)		
	ce Soil Cracks (B6)				tressed Pla		RR A)	Frost-l	Heave Hummocks (D7)		
	ation Visible on A	Ū		ner (Explai	in in Rema	rks)					
	ely Vegetated Cor	icave Surfa	ce (B8)								
	ervations: /ater Present? No		Depth (inc	choc):							
	ole Present? Ye		Depth (in	•							
Saturation				nches): <u>0</u>							
	apillary fringe)						Wetland Hyd		ent? Yes		
Describe F	Recorded Data (st	ream gaug	e, monitoring well	, aerial ph	notos, prev	ious inspe	ections), if availa	ble:			
Remarks:											

Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Investigator(s): <u>Kevin Grosz</u> Section, Townsh Landform (hillslope, terrace, etc.): <u>Plain</u> Local r Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	ip, Range: <u>02/4N</u> elief (concave, cor Lat: assification: None this time of year? disturbed?	/1E nvex, none): No. 45.85982750 e ? Yes(if no, exp. 4 locations,	Long: <u>-122.6</u> plain in Rema Are "Normal (if needed, e transects, i i	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
VEGETATION – Use scientific names of plants.		1	1	
Tree Stratum (Plot size: 0) 1. 2. 3. 4.	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A) Total Number of Dominant Species Across All Strata: 1 (B)
Total Cover = 0 Sapling/Shrub Stratum (Plot size: 0)				Percent of Dominant Species
1. 2. 3. 4. 5. Total Cover = 0 Herb Stratum (Plot size: 5M) 1. Agrostis stolonifera 2. Phalaris arundinacea 3. Ranunculus repens 4. Holcus lanatus 5. 6. 7. 8. 9. 10. 11. Total Cover = 85	70 5 5 5 5	Yes No No No	FAC FACW FAC FAC	That Are OBL, FACW, or FAC: 100 (A/B) Prevalence Index worksheet: Total % Cover of: Multiply by: OBL species $0 \times 1 = 0$ FACW species $0 \times 2 = 0$ FAC species $0 \times 3 = 0$ FACU species $0 \times 4 = 0$ UPL species $0 \times 5 = 0$ Column Totals: $0 \times 5 = 0$ Prevalence Index = B/A = $0 \times 5 = 0$ Hydrophytic Vegetation Indicators: 1 -Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test >50% 3 - Prevalence Index is $\le 3.0^1$ 4 - Morphological Adaptions (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vascular Plants Problematic Hydrophytic Vegetation (Explain)
Woody Vine Stratum (Plot size: _0) 1. 2. Total Cover = 0 % Bare Ground in Herb Stratum: 0				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? Yes
Remarks:				

SOIL Sampling Point: New Point 5

	Mat	rix		Redox F	<u>eatures</u>				
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks
(inches)	, ,		, ,		,,				
<u>0-16</u>	10YR 3/2	<u>0</u>		<u>0</u>					
<u> </u>	<u> </u>	<u> -</u>		<u> </u>					
¹Tvne· C=	Concentration D)=Denletion	n, RM=Reduced Ma	atrix (S=0	overed o	r Coated S	and Grains	² Location: P	L=Pore Lining, M=Matrix
1,700.0	Concentration, D	Depiction	i, iiii iicaacca iii	, C5 ·		Courcus	aria Grams.	200011011111	- Tore Emmigration
Hydric So	il Indicators: (Ap	plicable to	all LRRs, unless ot	herwise r	noted.)			Indicato	rs for Problematic Hydric Soils ³ :
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cr	n Muck (A10)
·	Epipedon (A2)			ripped Ma					Parent Material (TF2)
	Histic (A3)					(E1) (evc	ept MLRA 1)		ry Shallow Dark Surface (TF12)
	` '		· · · · · · · · · · · · · · · · · · ·	-			ept Willia 1)	·	
	ogen Sulfide (A4)				ed Matrix	(FZ)		Otr	ner (Explain in Remarks)
	ted Below Dark S		· · · · · · · · · · · · · · · · · · ·	pleted M					
Thick	Dark Surface (A1)	2)	Re	dox Dark	Surface (F	6)			ors of hydrophytic vegetation and
Sandy	Mucky Mineral ((S1)	De	epleted Da	ark Surface	e (F7)			d hydrology must be present, unless
Sandy	Gleyed Matrix (S	54)	Re	dox Depr	essions (F	3)		disturb	ed or problematic.
Restrictiv	e Layer (if preser	nt):							
Type:	e Layer (ii preser	,.							
Depth (in	chas): 0							Hydric	Soil Present? <u>No</u>
Deptii (iii	enesj. <u>o</u>							,	
Remarks:									
HYDROLO	GY								
Wetland I	Hydrology Indicat	tors:							
Primary Ir	ndicators (minimu	ım of one r	equired; check all	that apply	/)			Secondary	/ Indicators (two or more required)
Surfac	e Water (A1)		Wa	ter-Staine	ed Leaves	(R9)		Water	-Stained Leaves (B9)(MLRA 1,2,4A,4B)
	Water Table (A2)				RA 1,2,4A	. ,			age Patterns (B10)
						allu 4D)			
	ation (A3)			t Crust (B2	-				eason Water Table (C2)
Water	Marks (B1)		Aqı	uatic Inve	rtebrates (B13)		Satura	tion Visible on Aerial Imagery (C9)
Sedim	ent Deposits (B2))	Нус	drogen Su	lfide Odor	(C1)		Geom	orphic Position (D2)
Drift D	Deposits (B3)		Oxi	dized Rhiz	zospheres	along Livi	ng Roots (C3)	Shallo	w Aquitard (D3)
Algal I	Mat or Crust (B4)		Pre	sence of I	Reduced Ir	on (C4)		FAC-N	eutral Test (D5)
Iron D	eposits (B5)		Rec	ent Iron F	Reduction	in Tilled S	oils (C6)	Raisec	Ant Mounds (D6)(LRR A)
	ce Soil Cracks (B6)	١			ressed Pla				Heave Hummocks (D7)
	ation Visible on A		·		in in Rema		int A)		ricave riammocks (D7)
		_		iei (Expiai	III III NEIIIa	i K5j			
-	ely Vegetated Cor	ncave Surfa	ce (B8)				1		
Field Obse									
	ater Present? No	<u> </u>	Depth (inc	-					
	ole Present? <u>No</u>	 '	Depth (in						
	n Present? <u>No</u>	<u>0</u>	Depth (in	ches):			Wetland Hy	drology Pres	ent? No
	apillary fringe)			امرامات م					ent: <u>No</u>
Describe i	Recorded Data (St	ream gaug	e, monitoring well	, aeriai pr	iotos, prev	nous mspe	ections), ii avaii	able:	
Domostis									
Remarks:									

Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Investigator(s): <u>Kevin Grosz, Ryan Thiele</u> Landform (hillslope, terrace, etc.): <u>Plain</u> Local re Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	assification: none this time of year? disturbed? oblematic?	thip, Range: nvex, none): <u>co</u> 45.85758670 Yes(if no, exp	Long: -122.6 Long: -122.6 Dlain in Rema Are "Normal (if needed, e	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
VEGETATION – Use scientific names of plants. Tree Stratum (Plot size: 10m)	Absolute %	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species
1. 2. 3. 4. Total Cover =0	eove.	Species.	Status	That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant Species Across All Strata: 2 (B)
Sapling/Shrub Stratum (Plot size: _10m_) 1. 2.				Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B) Prevalence Index worksheet:
3. 4. 5. Total Cover = <u>0</u>				
Herb Stratum (Plot size: _5m_) 1. Agrostis stolonifera 2. Agrostis capillaris 3. Hypochaeris radicata 4. Schedonorus arundinaceus 5. Ranunculus repens 6. 7.	45 25 15 5 5	Yes Yes No No No	FAC FAC FACU FAC FAC	FACU species 0 x 4 = 0 UPL species 0 x 5 = 0 Column Totals: 0 (A) 0 (B) Prevalence Index = B/A = 0 Hydrophytic Vegetation Indicators: 1 -Rapid Test for Hydrophytic Vegetation
8. 9. 10. 11. Total Cover = 95				 X 2 - Dominance Test >50% 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptions¹ (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vascular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain)
Woody Vine Stratum (Plot size: <u>5m</u>) 1. 2. Total Cover = <u>0</u>				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
% Bare Ground in Herb Stratum: <u>5%</u>				Hydrophytic Vegetation Present? Yes
Remarks: Study is regularly mowed.				

Matrix Redox Features										
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks	
(inches)										
<u>0-5</u>	10YR 4/2	<u>100</u>		<u>0</u>			<u>silt loam</u>		Oxidized rhizospheres	
<u>5-10</u>	<u>10YR 4/2</u>	<u>95</u>	7.5YR 3/3	<u>5</u>	<u>C</u>	<u>M</u>	clayey silt loam			
<u>10-16</u>	7.5YR 4/1	<u>50</u>	<u>10YR 4/6</u>	<u>3</u>	<u>C</u>	<u>M</u>	<u>clay loam</u>		Small masses	
	7.5YR 4/3	<u>40</u>								
	10YR 5/3	<u>7</u>			<u>D</u>	<u>M</u>				
¹Type: C=	Concentration, D	=Depletion	n, RM=Reduced Ma	atrix, CS=0	Covered o	r Coated S	and Grains. ² Lo	cation: Pl	L=Pore Lining, M=Matrix	
Hydric So	il Indicators: (App	olicable to	all LRRs, unless ot	herwise r	noted.)			Indicato	rs for Problematic Hydric Soils ³ :	
Histos	ol (A1)		Sa	ndy Redo	x (S5)			2 cm Muck (A10)		
Histic	Epipedon (A2)		Sti	ripped Ma	itrix (S6)			Red Parent Material (TF2)		
Black	Histic (A3)		Lo	amy Muc	ky Mineral	(F1) (exc	ept MLRA 1)	Very Shallow Dark Surface (TF12)		
Hydro	gen Sulfide (A4)		Lo	amy Gley	ed Matrix	(F2)		Other (Explain in Remarks)		
Deple	ted Below Dark S	urface (A1	1) <u>X</u> De	epleted M	atrix (F3)					
Thick	Dark Surface (A12	2)	Re	dox Dark	Surface (F	6)		³ Indicators of hydrophytic vegetation and		
Sandy	Mucky Mineral (S1)	De	pleted Da	ark Surface	e (F7)		wetland hydrology must be present, unless		
Sandy	Gleyed Matrix (S	4)	Re	dox Depr	essions (F8	3)		disturb	ed or problematic.	
	e Layer (if presen	ıt):								
Type:									0.11.0	
Depth (in	ches): <u>0</u>							Hydric	Soil Present? Yes	
Remarks: Soil layer from 10-16 inches was matrix of three colors, with distinct/prominent redox features.										
HYDROLO	YDROLOGY									

HYDROLOGY								
Wetland Hydrology Indicators:								
Primary Indicators (minimum of one required;	check all that apply)		Secondary Indicators (two or more required)					
Surface Water (A1)	Water-Stained Leaves (B9)		Water-Stained Leaves (B9)(MLRA 1,2,4A,4B)					
High Water Table (A2)	(except MLRA 1,2,4A, and 4B)		Drainage Patterns (B10)					
Saturation (A3)	Salt Crust (B11)		Dry-Season Water Table (C2)					
Water Marks (B1)	Aquatic Invertebrates (B13)		X Saturation Visible on Aerial Imagery (C9)					
Sediment Deposits (B2)	Hydrogen Sulfide Odor (C1)		X_Geomorphic Position (D2)					
Drift Deposits (B3)	X Oxidized Rhizospheres along Living	g Roots (C3)	Shallow Aquitard (D3)					
Algal Mat or Crust (B4)	Presence of Reduced Iron (C4)		FAC-Neutral Test (D5)					
Iron Deposits (B5)	Recent Iron Reduction in Tilled Soi	ls (C6)	Raised Ant Mounds (D6)(LRR A)					
Surface Soil Cracks (B6)	Stunted or Stressed Plants (D1)(LR	R A)	Frost-Heave Hummocks (D7)					
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)							
Sparsely Vegetated Concave Surface (B8)								
Field Observations:								
	Depth (inches): <u>0</u>							
	Depth (inches): <u>0</u>							
Saturation Present? <u>No</u>	Depth (inches): <u>0</u>	Motland Hyd	release Bresent 2 Voc					
(includes capillary fringe)			rology Present? Yes					
Describe Recorded Data (stream gauge, monit	oring well, aerial photos, previous inspec	tions), it availa	ble:					
Remarks: Field study was conducted at the beginning of the wet season, in a year of below-average rainfall.								
Remarks: Field study was conducted at the b	beginning of the wet season, in a year of the	elow-average	raintall.					

Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Investigator(s): <u>Kevin Grosz, Ryan Thiele</u> Landform (hillslope, terrace, etc.): <u>plain</u> Local re Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	ssification: none this time of year? disturbed? blematic?	hip, Range: <u>S</u> nvex, none): <u>nc</u> 45.85758670 ' <u>Yes</u> (if no, ex	one Slo Long: <u>-122.6</u> olain in Rema Are "Normal (if needed, e	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
Hydrophytic Vegetation Present? No Hydric Soil Present? No				
Hydric Soil Present? No Wetland Hydrology Present? No		Is the	Sampled Area	a within a Wetland? <u>No</u>
Remarks: Study area is regularly mowed. VEGETATION – Use scientific names of plants.				
VEGETATION — OSE SCIENTING Harries of plants.	Absolute %	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 10m) 1. 2. 3.	Cover	Species?	Status	Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A) Total Number of Dominant
4. Total Cover =0				Species Across All Strata: <u>2</u> (B)
				Percent of Dominant Species
Sapling/Shrub Stratum (Plot size: 10m) 1.				That Are OBL, FACW, or FAC: 50 (A/B)
2. 3. 4. 5. Total Cover = 0 Herb Stratum (Plot size: 5m) 1. Hypochaeris radicata 2. Agrostis capillaris 3. Agrostis stolonifera	35 25 15	Yes Yes No	FACU FAC FAC	Prevalence Index worksheet: Total % Cover of: Multiply by: OBL species 0 x 1 = 0 FACW species 0 x 2 = 0 FAC species 0 x 3 = 0 FACU species 0 x 4 = 0 UPL species 0 x 5 = 0 Column Totals: 0 (A) 0 Prevalence Index = B/A = 0
 4. Holcus lanatus 5. Schedonorus arundinaceus 6. Ranunculus repens 7. 8. 9. 10. 11. Total Cover = 92 	10 5 2	<u>No</u> <u>No</u> <u>No</u>	FAC FAC FAC	Hydrophytic Vegetation Indicators: 1 —Rapid Test for Hydrophytic Vegetation 2 — Dominance Test >50% 3 — Prevalence Index is ≤ 3.0¹ 4 — Morphological Adaptions¹ (Provide supporting data in Remarks or on a separate sheet) 5 — Wetland Non-Vascular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain)
Woody Vine Stratum (Plot size: <u>5m</u>) 1. 2. Total Cover =0				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
% Bare Ground in Herb Stratum: <u>8%</u>				
Remarks: Study is regularly mowed.				Hydrophytic Vegetation Present? No
nemarks. Study is regularly mowed.				

SOIL Sampling Point: 7

	Mati	<u>rix</u>		Redox F	eatures				
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks
(inches)									
<u>0-8</u>	10YR 4/2	<u>100</u>		<u>0</u>			clayey silt loam		
8-11	7.5YR 4/2	85	7.5YR 3/3	<u>15</u>	<u>C</u>	M	clayey silt loam		redox features - Faint
<u>11-16</u>	7.5YR 4/1	95	7.5YR 4/6	<u></u> <u>5</u>	<u>C</u>	<u>—</u> М	clayey silt loam		
11 10	7.51K 1/1	<u> </u>	7.311C 170	<u> </u>	<u>-</u>	<u>.v.</u>	ciayey siic ioaiii		
¹Type: C=	Concentration, D	=Depletior	, RM=Reduced Ma	atrix, CS=0	Covered or	Coated S	and Grains. ² Lo	ocation: P	L=Pore Lining, M=Matrix
Hydric So	il Indicators: (App	olicable to	all LRRs, unless ot	herwise r	oted.)			Indicato	rs for Problematic Hydric Soils ³ :
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cı	m Muck (A10)
Histic	Epipedon (A2)		Str	ipped Ma	trix (S6)			Rec	d Parent Material (TF2)
Black	Histic (A3)		Lo	amy Mucl	ky Mineral	(F1) (exce	ept MLRA 1)	Ve	ry Shallow Dark Surface (TF12)
—— Hvdro	gen Sulfide (A4)		·	-	ed Matrix (·	ner (Explain in Remarks)
	ted Below Dark S	urface (A1		pleted M		,			- (
	Dark Surface (A12	-	· —		Surface (F	6)		3Indicat	tors of hydrophytic vegetation and
	Mucky Mineral (-			irk Surface	•			d hydrology must be present, unless
		-							ed or problematic.
	Gleyed Matrix (S	-	ке	dox Depre	essions (F8	3)		u.sta. z	
	e Layer (if presen	it):							
Type:									
Depth (inc	ches): <u>0</u>							Hydric	Soil Present? No
Remarks:	Soils from 8-16	inches sho	ws redox features	however	laver is to	o thin (<4	in.) with "faint" re	dox to qu	alify as Depleted Matrix (F3). Soil value is
	>3) to qualify as o				•	•	•		, , ,
	, , ,		, , ,						
HYDROLO	GY								
	Hydrology Indicat								
Primary In	dicators (minimu	m of one r	equired; check all t	hat apply	')			Secondary	y Indicators (two or more required)
Surfac	e Water (A1)		Wa	ter-Staine	d Leaves (B9)		Water	r-Stained Leaves (B9)(MLRA 1,2,4A,4B)
	Vater Table (A2)		(e:	cept MLI	RA 1,2,4A,	and 4B)			age Patterns (B10)
	ition (A3)			Crust (B1			•		eason Water Table (C2)
	Marks (B1)		· 	•	tebrates (B13)	•		ation Visible on Aerial Imagery (C9)
			 ·		•	•	-		
	ent Deposits (B2)		· · · · · · · · · · · · · · · · · · ·	_	lfide Odor				orphic Position (D2)
	Deposits (B3)						ng Roots (C3)		w Aquitard (D3)
	Mat or Crust (B4)		<u></u>		Reduced Ir				leutral Test (D5)
Iron D	eposits (B5)		Rec	ent Iron F	Reduction	in Tilled So	oils (C6)	Raised	d Ant Mounds (D6)(LRR A)
Surfac	e Soil Cracks (B6)		Stu	nted or St	ressed Pla	nts (D1)(L	RR A)	Frost-	Heave Hummocks (D7)
Inunda	ation Visible on A	erial Image	ery (B7)Oth	er (Explai	n in Rema	rks)			
Sparse	ely Vegetated Con	icave Surfa	ce (B8)						
Field Obse	ervations:								
Surface W	ater Present? No	<u>)</u>	Depth (inc	:hes): <u>0</u>					
	ole Present? No		Depth (inc	thes): <u>0</u>					
Saturation	Present? <u>No</u>	<u>)</u>	Depth (in	ches): <u>0</u>					
(includes ca	pillary fringe)						Wetland Hydro	ology Pres	ent? <u>No</u>
Describe F	Recorded Data (st	ream gaug	e, monitoring well	, aerial ph	otos, prev	ious inspe	ections), if available	e:	
Remarks:	Field study was	conducted	at the beginning of	of the wet	season, ir	n a year of	below-average ra	infall.	

Applicant/Owner: <u>La Center School District</u> State: <u>WA</u> Investigator(s): <u>Kevin Grosz, Ryan Thiele</u> Landform (hillslope, terrace, etc.): <u>plain</u> Local re Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	ssification: none this time of year? disturbed? blematic?	thip, Range: Sinvex, none): c 45.85758670 Yes (if no, expended)	oncave Slo Long: <u>-122.6</u> Dlain in Rema Are "Normal (if needed, e	rks.) Circumstances" present? Yes xplain any answers in Remarks.) mportant features, etc.	12/06/2018 Iling Point: <u>8</u>
Wetland Hydrology Present? Yes		Is the	Sampled Area	a within a Wetland? Yes	
Remarks: Study area is regularly mowed. VEGETATION – Use scientific names of plants.					
	Absolute %	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot size: 10m) 1.	Cover	Species?	Status	Number of Dominant Species That Are OBL, FACW, or FAC:	<u>2</u> (A)
2.				atric obt, inciv, of inc.	<u> </u>
3.				Total Number of Dominant	2 (5)
4. Total Cover =0				Species Across All Strata:	<u>2</u> (B)
Sapling/Shrub Stratum (Plot size: 10m)				Percent of Dominant Species	
1.				That Are OBL, FACW, or FAC:	<u>100</u> (A/B)
2.				Prevalence Index worksheet: Total % Cover of: Multiply by	•
3. 4.				OBL species $0 \times 1 = 0$	<u>.</u> <u>0</u>
5.				FACW species $\underline{0}$ x 2 =	<u>0</u>
Total Cover = <u>0</u>				FAC species $0 \times 3 =$	<u>0</u>
Herb Stratum (Plot size: 5m)	40	Voc	EAC	FACU species $\underline{0}$ x 4 = UPL species $\underline{0}$ x 5 =	<u>0</u> <u>0</u>
Agrostis stolonifera Schedonorus arundinaceus	<u>40</u> <u>30</u>	<u>Yes</u> <u>Yes</u>	<u>FAC</u> FAC	Column Totals: <u>0</u> (A)	<u>0</u> (B)
3. Holcus lanatus	<u>10</u>	<u>No</u>	<u>FAC</u>	Prevalence Index = B/A = 0	
Ranunculus repens Hypochaeris radicata	<u>10</u> <u>5</u>	<u>No</u> No	FAC		
6. Hypochaeris radicata 6.	<u>5</u>	<u>No</u>	<u>FACU</u>	Hydrophytic Vegetation Indicators:	
7.				1 –Rapid Test for Hydrophytic Veg X 2 – Dominance Test >50%	getation
8. 9.				$\frac{\lambda}{2}$ 2 – Dominance Test >50% $\frac{\lambda}{2}$ 3 - Prevalence Index is ≤ 3.0 ¹	
10.				4 - Morphological Adaptions ¹ (Pro	vide supporting
11.				data in Remarks or on a separate sheet) 5 – Wetland Non-Vascular Plants ¹	L
Total Cover = <u>95</u>				Problematic Hydrophytic Vegetat	
Woody Vino Stratum (Blot size: Fm.)				Indicators of hydric soil and water a	hydrolo <i>m:</i>
Woody Vine Stratum (Plot size: _5m_) 1.				¹ Indicators of hydric soil and wetland must be present, unless disturbed or p	
2.				, ,, ,, ,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Total Cover = <u>0</u>					
% Bare Ground in Herb Stratum: <u>5%</u>				Hydrophytic Vegetation Present? Yes	
Remarks: Study is regularly mowed.	•	•	•	<u> </u>	

SOIL Sampling Point: 8

	Mat	rix		Redox I	eatures				
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks
(inches)	7 5 4 2	400		0			-116 1		
<u>0-6</u>	7.5YR 4/2	<u>100</u>		<u>0</u>	_		silt loam		Oxidized rhizospheres
<u>6-9</u>	<u>7.5YR 4/2</u>	<u>95</u>	7.5YR 3/2	<u>5</u>	<u>C</u>	<u>M</u>	<u>clayey silt loam</u>		
<u>9-16</u>	<u>7.5YR 4/2</u>	<u>88</u>	<u>7.5YR 3/3</u>	<u>10</u>	<u>C</u>	<u>M</u>	<u>clayey silt loam</u>		
			<u>7.5YR 4/6</u>	<u>2</u>	<u>C</u>	<u>M</u>	clayey silt loam		Small masses
¹Type: C=	Concentration, D	=Depletion	n, RM=Reduced M	atrix, CS=0	Covered o	r Coated S	and Grains. ² L	ocation: P	L=Pore Lining, M=Matrix
Hydric So	il Indicators: (Ap	plicable to	all LRRs, unless ot	herwise ı	noted.)			Indicato	ors for Problematic Hydric Soils ³ :
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 c	m Muck (A10)
Histic	Epipedon (A2)		St	ripped Ma	atrix (S6)			Red	d Parent Material (TF2)
Black	Histic (A3)		Lo	amy Muc	ky Minera	l (F1) (exc	ept MLRA 1)	Ve	ry Shallow Dark Surface (TF12)
Hydro	ogen Sulfide (A4)		· · · · · · · · · · · · · · · · · · ·	-	ed Matrix			Oth	ner (Explain in Remarks)
	ted Below Dark S	urface (A1		-	atrix (F3)	. ,			,
l — ·	Dark Surface (A1	•			Surface (F	6)		3Indica	tors of hydrophytic vegetation and
I —	/ Mucky Mineral (•			ark Surface				d hydrology must be present, unless
-	Gleyed Matrix (S				essions (F8				ed or problematic.
-				иох вері	C3310113 (1 C	-1			
Type:	e Layer (if preser	it):							
	shas). O							Hydric	Soil Present? Yes
Depth (in	· ·							Hydric	3011 Tesent: <u>res</u>
Remarks:	Soil layer from	9-16 inche	s had redox featur	es with tv	vo colors.				
HYDROLO	GY								
Wetland I	Hydrology Indicat	tors:							
Primary In	ndicators (minimu	ım of one r	equired; check all	that apply	<i>(</i>)			Secondar	y Indicators (two or more required)
Surfac	ce Water (A1)		Wa	ter-Staine	ed Leaves ((B9)		Wate	r-Stained Leaves (B9)(MLRA 1,2,4A,4B)
High \	Water Table (A2)		(е	xcept ML	RA 1,2,4A,	and 4B)		Draina	age Patterns (B10)
Satura	ation (A3)		Salt	t Crust (B:	11)			Dry-Se	eason Water Table (C2)
Water	Marks (B1)				rtebrates (B13)			ation Visible on Aerial Imagery (C9)
	ent Deposits (B2)	١			lfide Odor				norphic Position (D2)
	Deposits (B3)						ng Roots (C3)		w Aquitard (D3)
	Mat or Crust (B4)				Reduced Ir	_	116 110013 (03)		leutral Test (D5)
	eposits (B5)		· · · · · · · · · · · · · · · · · · ·		Reduction		oils (C6)		d Ant Mounds (D6)(LRR A)
	ce Soil Cracks (B6)								Heave Hummocks (D7)
					tressed Pla		.NN A)	FIOSI-	neave nullillocks (D7)
	ation Visible on A	_		ier (Expia	in in Rema	rks)			
	ely Vegetated Cor	ncave Surfa	ice (B8)						
Field Obse			<i>(</i>)						
	/ater Present? No		Depth (in						
	ole Present? <u>No</u> n Present? <u>No</u>		Depth (in Depth (in						
	apillary fringe)	<u>, </u>	Deptii (iii	ciies). <u>o</u>			Wetland Hydro	ology Pres	ent? Yes
		ream gaug	e, monitoring well	, aerial ph	notos, prev	ious inspe			
	•		<u> </u>	•	, ,	·			
Remarks:	Field study was	conducted	at the beginning	of the wet	t season, ii	n a year of	below-average ra	infall.	
1									

Applicant/Owner: <u>La Center School District</u> State: <u>W</u> Investigator(s): <u>Kevin Grosz, Ryan Thiele</u> Landform (hillslope, terrace, etc.): <u>plain</u> Loca Subregion (LRR): <u>Northwest Forests & Coast (LRR A)</u>	Section, Towns I relief (concave, cor Lat: classification: none or this time of year? tly disturbed? problematic?	ship, Range: Sonvex, none): no	one Slo Long: <u>-122.6</u> Dlain in Rema Are "Normal (if needed, e	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
VEGETATION – Use scientific names of plants.				
Tree Stratum (Plot size: 10m) 1. 2. 3.	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant
4. Total Cover = 0 Sapling/Shrub Stratum (Plot size: 10m)				Species Across All Strata: <u>3</u> (B) Percent of Dominant Species
1. 2. 3. 4. 5. Total Cover = 0 Herb Stratum (Plot size: 5m) 1. Hypochaeris radicata 2. Holcus lanatus 3. Agrostis stolonifera 4. Leucanthemum vulgare 5. Schedonorus arundinaceus	35 25 20 10 5	Yes Yes Yes No No	FACU FAC FACU FACU FAC	That Are OBL, FACW, or FAC: 66.7 (A/B) Prevalence Index worksheet: Total % Cover of: Multiply by: OBL species 0 x 1 = 0 FACW species 0 x 2 = 0 FAC species 0 x 3 = 0 FACU species 0 x 4 = 0 UPL species 0 x 5 = 0 Column Totals: 0 (A) 0 (B) Prevalence Index = B/A = 0 Hydrophytic Vegetation Indicators:
6. 7. 8. 9. 10. 11. Total Cover = 95				Hydrophytic Vegetation indicators: 1 – Rapid Test for Hydrophytic Vegetation X
1. 2. Total Cover = <u>0</u>				must be present, unless disturbed or problematic.
% Bare Ground in Herb Stratum: <u>5%</u> Remarks: Study is regularly mowed.				Hydrophytic Vegetation Present? No

SOIL Sampling Point: 9

	Mati	<u>rix</u>		Redox F	eatures				
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks
(inches)									
0-10	7.5YR 4/2	<u>100</u>		<u>0</u>			silt loam		
<u>10-13</u>	7.5YR 4/2	<u>90</u>	7.5YR 3/3	<u>10</u>	<u>C</u>	<u>M</u>	clayey silt loam		redox features - faint
<u>13-16</u>	7.5YR 4/2	<u>70</u>	7.5YR 4/6	<u>10</u>	<u>c</u>	M	clayey silt loam		- Cuox Cuta. Co Tume
15-10			7.51K 4/0	10		_			
	<u>7.5YR 5/1</u>	<u>20</u>			<u>D</u>	<u>M</u>	<u>clayey silt loam</u>		
¹Tvne· C=	Concentration D	=Denletion	n, RM=Reduced Ma	trix CS=0	overed or	· Coated S	and Grains ² I c	ocation: P	L=Pore Lining, M=Matrix
			all LRRs, unless ot						rs for Problematic Hydric Soils ³ :
									•
	sol (A1)			ndy Redo					m Muck (A10)
	Epipedon (A2)			ipped Ma	` '			II .	d Parent Material (TF2)
Black	Histic (A3)		Lo	amy Muc	ky Mineral	(F1) (exc	ept MLRA 1)	Ve	ry Shallow Dark Surface (TF12)
Hydro	gen Sulfide (A4)		Lo	amy Gley	ed Matrix	(F2)		Oth	ner (Explain in Remarks)
Deple	ted Below Dark S	urface (A1:	1)De	pleted M	atrix (F3)				
Thick	Dark Surface (A12	2)	Re	dox Dark	Surface (F	6)		3Indicat	tors of hydrophytic vegetation and
	Mucky Mineral (-	 De	nleted Da	rk Surface	(F7)			d hydrology must be present, unless
-	Gleyed Matrix (S				essions (F8				ed or problematic.
		•	nc	иох Берг	23310113 (1 0	,,			•
	e Layer (if presen	it):							
Type:								l	0.11.0
Depth (in	ches): <u>0</u>							Hydric	Soil Present? No
Remarks:	Soils from 10-10	6 inches sh	ows redox feature	s, howeve	er layer is t	oo thin (<	4in.) with "faint" r	edox to q	ualify as Depleted Matrix (F3). Soil value
			ace (A11, A12, F6).		•	,	,		, , ,
0	(-,, ,		, , , ,						
HYDROLO	GY								
Wetland I	Hydrology Indicat	ors:							
			equired; check all t	hat apply	·)		9	Secondary	/ Indicators (two or more required)
						'DO\			
	e Water (A1)				d Leaves (•	-		r-Stained Leaves (B9)(MLRA 1,2,4A,4B)
High V	Vater Table (A2)		(e)	cept ML	RA 1,2,4A,	and 4B)	-	Draina	age Patterns (B10)
Satura	ition (A3)		Salt	Crust (B1	1)		-	Dry-Se	eason Water Table (C2)
Water	Marks (B1)		Aqı	iatic Invei	tebrates (B13)	-	Satura	tion Visible on Aerial Imagery (C9)
Sedim	ent Deposits (B2)		Hyd	lrogen Su	lfide Odor	(C1)	_	Geom	orphic Position (D2)
Drift D	Deposits (B3)		Oxi	dized Rhiz	ospheres	along Livi	ng Roots (C3)	Shallo	w Aquitard (D3)
	Mat or Crust (B4)				Reduced Ir	_]		eutral Test (D5)
			· 				oils (CE)		
	eposits (B5)				Reduction				d Ant Mounds (D6)(LRR A)
	e Soil Cracks (B6)				ressed Pla		.RR A)	Frost-	Heave Hummocks (D7)
·	ation Visible on A	_		er (Explai	n in Rema	rks)			
Sparse	ely Vegetated Con	icave Surfa	ce (B8)						
Field Obse	ervations:								
Surface W	ater Present? No	<u>)</u>	Depth (inc						
Water Tab	ole Present? <u>No</u>	<u>)</u>	Depth (inc	:hes): <u>0</u>					
Saturation	n Present? <u>No</u>	<u>)</u>	Depth (in	ches): <u>0</u>					
	apillary fringe)						Wetland Hydro		ent? <u>No</u>
Describe F	Recorded Data (st	ream gaug	e, monitoring well	aerial ph	otos, prev	ious inspe	ections), if available	e:	
Remarks:	Field study was	conducted	at the beginning of	of the wet	season, ir	n a year of	below-average rai	infall.	

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Applicant/Owner: La Center School District Investigator(s): Kevin Grosz, Ryan Thiele Landform (hillslope, terrace, etc.): plain Subregion (LRR): Northwest Forests & Coast (LRR A) Soil Map Unit Name: Odne Silt Loam (OdB) Are climatic/hydrologic conditions on the site typical for Are Vegetation, Soil, or Hydrology significantly Are Vegetation, Soil, or Hydrology naturally pr SUMMARY OF FINDINGS — Attach site map showi Hydrophytic Vegetation Present? Yes Hydric Soil Present? Yes	Section, Towns elief (concave, cor Lat: gassification: none this time of year? disturbed? roblematic?	ship, Range: <u>S</u> nvex, none): <u>cc</u> 45.85758670 Yes(if no, exp	Long: -122.6 Long: -122.6 Dlain in Rema Are "Normal (if needed, e	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)	
Wetland Hydrology Present? <u>Yes</u> Remarks: Study area is regularly mowed.		is the s	ampled Alex	within a wethand: 165	
VEGETATION – Use scientific names of plants. Tree Stratum (Plot size: _10m_) 1. 2. 3. 4. Total Cover =0 Sapling/Shrub Stratum (Plot size: _10m_)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant Species Across All Strata: 3 (B) Percent of Dominant Species	
1. 2. 3. 4. 5. Total Cover = 0				That Are OBL, FACW, or FAC: 66.7 (A/I) Prevalence Index worksheet:	В)
Herb Stratum (Plot size: _5m_) 1. Lolium perenne 2. Agrostis stolonifera 3. Hypochaeris radicata 4. Juncus effusus 5. Schedonorus arundinaceus 6. Holcus lanatus 7. 8. 9. 10. 11. Total Cover = 95	30 20 20 15 10 5	Yes Yes Yes No No	FAC FACU FACW FAC FAC	FACU species 0 x 4 = 0 UPL species 0 x 5 = 0 Column Totals: 0 (A) 0 (B Prevalence Index = B/A = 0 Hydrophytic Vegetation Indicators:	rting
Woody Vine Stratum (Plot size: <u>5m</u>) 1. 2. Total Cover = <u>0</u> % Bare Ground in Herb Stratum: <u>5%</u>				¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problemati Hydrophytic Vegetation Present? Yes	с.
Remarks: Study is regularly mowed.				Trystophytic vegetation riesent: 165	

SOIL Sampling Point: 10

Profile Des	scription: (Descril	be to the d	lepth needed to d	ocument	the indica	tor or cor	ifirm the absence o	of indicate	ors.)	
	<u>Mat</u>	<u>rix</u>		Redox I	<u>eatures</u>					
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks	
(inches)										
<u>0-4</u>	10YR 4/2	<u>100</u>		<u>0</u>			<u>silt loam</u>			
<u>4-12</u>	10YR 4/1	<u>90</u>	7.5YR 3/3	<u>10</u>	<u>C</u>	<u>M</u>	clayey silt Loam			
<u>12-16</u>	10YR 5/1	<u>80</u>	7.5YR 4/4	<u>20</u>	<u>C</u>	<u>M</u>	clayey silt loam		small masses	
1Typo: C-	Concontration D	-Doplotion	l n, RM=Reduced Ma	atrix CC-1	Covered o	r Coatod 9	Sand Grains 21 o	cation: D	L=Pore Lining, M=Matrix	
Type. C-	-concentration, D	-Depletioi	i, Kivi–Reduced ivi	ati ix, C3–1	covered of	Coateu	Sand Granis.	Cation. F	L-Fore Liming, IVI-IVIALITA	
Hydric So	il Indicators: (Apှ	olicable to	all LRRs, unless ot	herwise ı	noted.)			Indicato	rs for Problematic Hydric Soils ³ :	
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cm Muck (A10)		
Histic	Epipedon (A2)		St	ripped Ma	atrix (S6)			Red Parent Material (TF2)		
Black	Black Histic (A3)Loamy Mucky Mineral (F1) (except MLRA 1)					ept MLRA 1)	Very Shallow Dark Surface (TF12)			
Hydro	Hydrogen Sulfide (A4)Loamy Gleyed Matrix (F2)						Other (Explain in Remarks)			
Deple	ted Below Dark S	urface (A1	1) X De	epleted M	atrix (F3)					
Thick	Dark Surface (A12	2)	Re	dox Dark	Surface (F	6)		3Indicat	tors of hydrophytic vegetation and	
	Mucky Mineral (•	 De	pleted Da	ark Surface	e (F7)		wetland hydrology must be present, unless		
	Gleyed Matrix (S	•		•	essions (F8			disturb	ed or problematic.	
	e Layer (if presen									
Type:	e zayer (ii presen	,.								
Depth (inc	ches): 0							Hydric	Soil Present? Yes	
		0-16 inches	s had redox featur	ac with tw	vo colors					
nemaiks.	Soli layer from	5-10 iliche	s riau redox reatur	es with tv	vo colors.					
IYDROLO										
	Hydrology Indicat		and the second	ula a d					a badhaata aa Abaaa aa aa aa aa ah ah ah	
Primary In	idicators (minimu	m of one r	equired; check all	tnat apply	/)			secondary	/ Indicators (two or more required)	
Surfac	e Water (A1)		Wa	ter-Staine	ed Leaves ((B9)		Water	-Stained Leaves (B9)(MLRA 1,2,4A,4B)	
11:	1/242" Table (42)		1-		DA 4 2 4A	d 4D\		Dun:	Dattama (D10)	

_Surface Water (A1)	Water-Stained Leaves (B9)		Water-Stained Leaves (B9)(MLRA 1,2,4A,4B)
_High Water Table (A2)	(except MLRA 1,2,4A, and 4B)		Drainage Patterns (B10)
_Saturation (A3)	Salt Crust (B11)		Dry-Season Water Table (C2)
_Water Marks (B1)	Aquatic Invertebrates (B13)		X Saturation Visible on Aerial Imagery (C9)
_Sediment Deposits (B2)	Hydrogen Sulfide Odor (C1)		X Geomorphic Position (D2)
_Drift Deposits (B3)	X Oxidized Rhizospheres along Livin	g Roots (C3)	Shallow Aquitard (D3)
_Algal Mat or Crust (B4)	Presence of Reduced Iron (C4)		FAC-Neutral Test (D5)
_Iron Deposits (B5)	Recent Iron Reduction in Tilled So	Raised Ant Mounds (D6)(LRR A)	
_Surface Soil Cracks (B6)	Stunted or Stressed Plants (D1)(LF	RR A)	Frost-Heave Hummocks (D7)
_Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)		
_Sparsely Vegetated Concave Surface (B8)			
eld Observations:			
	Depth (inches): <u>0</u>		
· 	Depth (inches): 0		
turation Present? <u>No</u>	Depth (inches): <u>0</u>	Wetland Hyd	Irology Present? Yes
cludes capillary fringe)		Wetland Hye	rology rresent. 165

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Applicant/Owner: La Center School District Investigator(s): Kevin Grosz, Ryan Thiele Landform (hillslope, terrace, etc.): plain Local r Subregion (LRR): Northwest Forests & Coast (LRR A) Soil Map Unit Name: Gee Silt Loam (GeB) NWI cl Are climatic/hydrologic conditions on the site typical for Are Vegetation, Soil, or Hydrology significantly Are Vegetation, Soil, or Hydrology naturally pr SUMMARY OF FINDINGS - Attach site map showi Hydrophytic Vegetation Present? Yes Hydric Soil Present? No Wetland Hydrology Present? No	Section, Towns elief (concave, cor Lat: g assification: none this time of year? disturbed? oblematic?	hip, Range: <u>S(</u> nvex, none): <u>no</u> 45.85758670 Yes(if no, exp	one Slo Long: <u>-122.6</u> Dlain in Rema Are "Normal (if needed, e	rks.) Circumstances" present? <u>Yes</u> xplain any answers in Remarks.)
Remarks: Study area is regularly mowed.				
VEGETATION – Use scientific names of plants. Tree Stratum (Plot size: 10m) 1. 2. 3. 4. Total Cover =0	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant Species Across All Strata: 3 (B)
Sapling/Shrub Stratum (Plot size: 10m) 1. 2. 3. 4. 5. Total Cover = 0				Percent of Dominant Species That Are OBL, FACW, or FAC: 66.7 (A/B) Prevalence Index worksheet: Total % Cover of: Multiply by: OBL species 0 x 1 = 0 FACW species 0 x 2 = 0 FAC species 0 x 3 = 0
Herb Stratum (Plot size: 5m) 1. Hypochaeris radicata 2. Holcus lanatus 3. Agrostis stolonifera 4. Leucanthemum vulgare 5. Schedonorus arundinaceus 6. 7. 8. 9. 10. 11. Total Cover = 95	35 25 20 10 5	Yes Yes Yes No No	FACU FAC FACU FACU	FACU species 0 x 4 = 0 UPL species 0 x 5 = 0 Column Totals: 0 (A) 0 (B) Prevalence Index = B/A = 0 Hydrophytic Vegetation Indicators: 1 -Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test >50% 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptions¹ (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vascular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain)
Woody Vine Stratum (Plot size: <u>5m</u>) 1. 2. Total Cover = <u>0</u> % Bare Ground in Herb Stratum: <u>5%</u> Remarks: Study is regularly mowed.				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? No

SOIL Sampling Point: 11

Profile Des	•		eptn needed to do			tor or con	firm the absence o	Tindicato	ors.)	
Daniella	Mati		C-1 (eatures	12	T		Damania	
Depth	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Remarks	
(inches)	7 EVD 4/2	100		0			a:14 la a ua			
<u>0-10</u>	7.5YR 4/2	<u>100</u>	· · · · · · · · · · · · · · · · ·	<u>0</u>			silt loam			
<u>10-13</u>	7.5YR 4/2	<u>90</u>	7.5YR 3/3	<u>10</u>	<u>C</u>	<u>M</u>	clayey silt loam		<u>redox features – Faint</u>	
<u>13-16</u>	<u>7.5YR 4/2</u>	<u>70</u>	7.5YR 4/6	<u>10</u>	<u>C</u>	<u>M</u>	clayey silt loam			
	7.5YR 5/1	<u>20</u>			<u>D</u>	<u>M</u>	clayey silt loam			
¹Type: C=	Concentration, D	=Depletion	n, RM=Reduced Ma	atrix, CS=0	Covered o	r Coated S	and Grains. ² Lo	cation: Pl	L=Pore Lining, M=Matrix	
Hydric So	il Indicators: (App	olicable to	all LRRs, unless ot	herwise r	noted.)			Indicato	rs for Problematic Hydric Soils ³ :	
Histos	sol (A1)		Sa	ndy Redo	x (S5)			2 cm Muck (A10)		
Histic	Stripped Matrix (S6)						Red Parent Material (TF2)			
Black	Histic (A3)	tic (A3)Loamy Mucky Mineral (F1) (except MLRA 1)				ept MLRA 1)	Very Shallow Dark Surface (TF12)			
Hydro	gen Sulfide (A4)		Lo	amy Gley	ed Matrix	(F2)		Other (Explain in Remarks)		
Deple	ted Below Dark S	urface (A1:	1) De	pleted M	atrix (F3)					
Thick	Dark Surface (A12	2)	, Re	dox Dark	Surface (F	6)		3Indicat	ors of hydrophytic vegetation and	
·	Mucky Mineral (-	· · · · · · · · · · · · · · · · · · ·		ark Surface	-		wetland hydrology must be present, unless		
	Gleyed Matrix (S				essions (F8				ed or problematic.	
	e Layer (if presen			. иох Верг		-1				
Type:	/- (•								
Depth (in	ches): <u>0</u>							Hydric	Soil Present? No	
Romarks:	Soils from 10-16	S inches sh	ows redox feature	s howeve	ar lavor is	too thin (Ain \ with "faint" re	edov to a	ualify as Depleted Matrix (F3). Soil value	
			ace (A11, A12, F6).		er layer is	(tilli (till	Same with family re	edox to q	daily as Depleted Matrix (13). 3011 value	
	. (-,,,									
HYDROLO	GY									
	Hydrology Indicat	ors:								
			equired; check all	that apply	/)		S	Secondary	Indicators (two or more required)	
Surfac	e Water (A1)		Wa	ter-Staine	d Leaves I	(B9)		Water	-Stained Leaves (B9)(MLRA 1.2.4A.4B)	

Surface Water (A1) Water-Stained Leaves (B9)			Water-Stained Leaves (B9)(MLRA 1,2,4A,4		
High Water Table (A2)	(except MLRA 1,2,4A, and 4B)		Drainage Patterns (B10)		
Saturation (A3)	Salt Crust (B11)		Dry-Season Water Table (C2)		
Water Marks (B1)	Aquatic Invertebrates (B13)		Saturation Visible on Aerial Imagery (C9)		
Sediment Deposits (B2)	Hydrogen Sulfide Odor (C1)		Geomorphic Position (D2)		
Drift Deposits (B3)	Oxidized Rhizospheres along Living	g Roots (C3)	Shallow Aquitard (D3)		
Algal Mat or Crust (B4)	Presence of Reduced Iron (C4)	FAC-Neutral Test (D5)			
Iron Deposits (B5)	Recent Iron Reduction in Tilled So	Recent Iron Reduction in Tilled Soils (C6)			
Surface Soil Cracks (B6)	Stunted or Stressed Plants (D1)(LR	R A)	Frost-Heave Hummocks (D7)		
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)				
Sparsely Vegetated Concave Surface (B8)					
ield Observations:					
urface Water Present? No	Depth (inches): <u>0</u>				
Vater Table Present? <u>No</u>	Depth (inches): <u>0</u>				
aturation Present? <u>No</u>	Depth (inches): <u>0</u>				
ncludes capillary fringe)		Wetland Hyd	rology Present? <u>No</u>		
Describe Recorded Data (stream gauge, mon	itoring well, aerial photos, previous inspec	tions), if availa	ble:		

APPENDIX B - UPDATED WESTERN WASHINGTON WETLAND RATING FORMS

Χ

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Lockwood Cr.	Rd A	Date of site visit: <u>11/20</u> /17
Rated by Kevin Grosz	_ Trained by Ecology? <u>_X</u> \	esNo Date of training 12/22/15
HGM Class used for rating Depressional	Wetland has mult	iple HGM classes?Y _X_N
NOTE: Form is not complete witho Source of base aerial photo/map		(figures can be combined).
OVERALL WETLAND CATEGORY 1\	/_ (based on functions X	or special characteristics)
1. Category of wetland based on Fl	JNCTIONS	
Category I – Total score	e = 23 - 27	Score for each
Category II – Total scor	e = 20 - 22	function based
Category III – Total sco	re = 16 - 19	on three

FUNCTION	Improving Water Quality			Hydrologic			Habitat			
Circle the appropriate ratings										
Site Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	Н	М	<u>L</u>	
Landscape Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	<u>H</u>	М	L	
Value	<u>H</u>	М	L	Н	M	L	Н	М	Ī	TOTAL
Score Based on Ratings		5			4			5		14

Category IV – Total score = 9 - 15

Score for each function based on three ratings (order of ratings is not important) 9 = H,H,H 8 = H,H,M 7 = H,H,L 7 = H,M,M 6 = H,M,L 6 = M,M,M 5 = H,L,L 5 = M,M,L 4 = M,L,L 3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CAT	EGORY
Estuarine	I	II
Wetland of High Conservation Value		I
Bog		I
Mature Forest		I
Old Growth Forest		I
Coastal Lagoon	I	II
Interdunal	I II	III IV
None of the above		

Maps and figures required to answer questions correctly for Western Washington

<u>Depressional Wetlands</u>

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1	Are the water	levels in the	entire unit	ucually	controlled b	v tides evce	nt during	floods?
Ι.	Are the water	ieveis iii uie	entire unit	usuany	controlled b	y nues exce	pt uui iiig	110003:

NO – go to 2

YES – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO - Saltwater Tidal Fringe (Estuarine)

YES - Freshwater Tidal Fringe

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES – The wetland class is **Flats**

If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - __The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
 - __At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO – go to 4

YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
 - ___The wetland is on a slope (*slope can be very gradual*),
 - ____The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,
 - ___The water leaves the wetland **without being impounded**.

NO – go to 5

YES - The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

- 5. Does the entire wetland unit **meet all** of the following criteria?
 - ____The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,
 - ___The overbank flooding occurs at least once every 2 years.

NO – go to 6

YES – The wetland class is **Riverine**

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS Water Quality Functions - Indicators that the site functions to improve v	water quality	
D 1.0. Does the site have the potential to improve water quality?	vater quanty	
D 1.1. Characteristics of surface water outflows from the wetland:		
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving i	t (no outlet).	
	points = 3	
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flow	_	
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowin	points = 2 g points = 1	
Wetland has all disconstructed, of slightly constructed, surface outlet that is permanently flowing disch. Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing disch.	- :	2
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions).	•	0
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested C		Ŭ
Wetland has persistent, ungrazed, plants > 95% of area	points = 5	
Wetland has persistent, ungrazed, plants > ½ of area	points = 3	
Wetland has persistent, ungrazed plants $> \frac{1}{10}$ of area	points = 1	
Wetland has persistent, ungrazed plants $<^1/_{10}$ of area	points = 0	0
D 1.4. Characteristics of seasonal ponding or inundation:		
This is the area that is ponded for at least 2 months. See description in manual.		
Area seasonally ponded is > ½ total area of wetland	points = 4	
Area seasonally ponded is > ¼ total area of wetland	points = 2	_
Area seasonally ponded is < ¼ total area of wetland	points = 0	2
Total for D 1 Add the points in th	e boxes above	4
Rating of Site Potential If score is: 12-16 = H 6-11 = M X 0-5 = L Record the re	ating on the first pa	ige
D 2.0. Does the landscape have the potential to support the water quality function of the sit	e?	
D 2.1. Does the wetland unit receive stormwater discharges?	'es = 1 No = 0	0
D 2.2. Is $>$ 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	es = 1 No = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	es = 1 No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D	2.1-D 2.3?	
Source	es = 1 No = 0	0
Total for D 2 Add the points in the	e boxes above	0
Rating of Landscape Potential If score is:3 or 4 = H1 or 2 = MX_0 = LRecord	the rating on the fir	rst page
D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water t	hat is on the	
303(d) list?	es = 1 No = 0	1
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list?	'es = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quaif there is a TMDL for the basin in which the unit is found)?	ality (<i>answer YES</i> Yes = 2 No = 0	2
Total for D 3 Add the points in th	e boxes above	4
Rating of Value If score is: X 2-4 = H 1 = M 0 = L Record the rating or	the first page	

DEPRESSIONAL AND FLATS WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation	ion
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland: Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	2
D 4.2. <u>Depth of storage during wet periods:</u> <i>Estimate the height of ponding above the bottom of the outlet. For wetlands</i>	
with no outlet, measure from the surface of permanent water or if dry, the deepest part. Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 The wetland is a "headwater" wetland points = 3 Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft (6 in) points = 0 D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin	1
contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of the unit points = 5	
The area of the basin is 10 to 100 times the area of the unit points = 3	
The area of the basin is more than 100 times the area of the unit points = 0	0
Entire wetland is in the Flats class points = 5	0
Total for D 4 Add the points in the boxes above Rating of Site Potential If score is: 12-16 = H 6-11 = M X 0-5 = L Record the rating on the	3 first nage
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?	jet page
D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0	
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	<u> </u>
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? Yes = 1 No = 0	0
Total for D 5 Add the points in the boxes above	0
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M X 0 = L Record the rating on the	first page
D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds): • Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2 • Surface flooding problems are in a sub-basin farther down-gradient. points = 1	
Flooding from groundwater is an issue in the sub-basin. points = 1	
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. <i>Explain why</i> points = 0	
There are no problems with flooding downstream of the wetland. points = 0	1
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	<u>0</u> 1

Rating of Value If score is: ___2-4 = H $_{\underline{\chi}}$ 1 = M ___0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. Aquatic bed 4 structures or more: points = 4 3 structures: points = 2 X Emergent Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) 0 that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 X Seasonally flooded or inundated 3 types present: points = 2 X Occasionally flooded or inundated 2 types present: points = 1 Saturated only 1 type present: points = 0 ___Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points Freshwater tidal wetland 2 points 1 H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle If you counted: > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Moderate = 2 points Low = 1 point All three diagrams in this row are **HIGH** = 3points 0

H 1.5. Special habitat features:	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).	
Standing snags (dbh > 4 in) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 n	n)
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered	
where wood is exposed)	
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of	_
strata)	0
Total for H 1 Add the points in the boxes above	
Rating of Site Potential If score is:15-18 = H7-14 = M $_{\underline{X}}$ _0-6 = L Record the rating	on the first page
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	
Calculate: % undisturbed habitat 0 + [(% moderate and low intensity land uses)/2] 13 =13%	
If total accessible habitat is:	
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3	:
20-33% of 1 km Polygon points = 2	
10-19% of 1 km Polygon points = 1	
< 10% of 1 km Polygon points = 0	1
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	
Calculate: % undisturbed habitat 26 + [(% moderate and low intensity land uses)/2] 32 = 58 %	,
Undisturbed habitat > 50% of Polygon points = 3	;
Undisturbed habitat 10-50% and in 1-3 patches points = 2	
Undisturbed habitat 10-50% and > 3 patches points = 1	3
Undisturbed habitat < 10% of 1 km Polygon points = 0	3
H 2.3. Land use intensity in 1 km Polygon: If	
> 50% of 1 km Polygon is high intensity land use points = (- 2))
≤ 50% of 1 km Polygon is high intensity points = 0	_
Total for H 2 Add the points in the boxes above	
Rating of Landscape Potential If score is: X 4-6 = H 1-3 = M< 1 = L Record the rating of	•
	
H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score	?
that applies to the wetland being rated.	
Site meets ANY of the following criteria: points = 2	
— It has 3 or more priority habitats within 100 m (see next page)	,
— It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)
— It is mapped as a location for an individual WDFW priority species	
— It is a Wetland of High Conservation Value as determined by the Department of Natural Resources	
— It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1	
	_
Site does not meet any of the criteria above points = 0	
Rating of Value If score is: $2 = H$ $1 = M$ X $0 = L$ Record the rating	on the first page

Wetland Rating System for Western WA: 2014 Update Rating Form – Effective January 1, 2015

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- **Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands Does the wetland meet the following criteria for Estuarine wetlands? — The dominant water regime is tidal, — Vegetated, and	
— With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. (If non-native species are Spartina, see page 25) — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	Cat. I
mowed grassland. — The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. Yes = Category I No = Category II	Cat. II
SC 2.0. Wetlands of High Conservation Value (WHCV) SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High Conservation Value? Yes – Go to SC 2.2 No – Go to SC 2.3 SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value? Yes = Category I No = Not a WHCV	Cat. I
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland? http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2 SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30% cover of plant species listed in Table 4? Yes = Is a Category I bog No – Go to SC 3.4 NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy? Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate the wetland based on its functions.</i>	
 Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more. Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
SC 5.1. Does the wetland meet all of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100). — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	Cat. II
mowed grassland.	
— The wetland is larger than $^{1}/_{10}$ ac (4350 ft ²) Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer yes you will still need to rate the wetland based on its habitat functions. In practical terms that means the following geographic areas:	
— Long Beach Peninsula: Lands west of SR 103	Cat I
 — Grayland-Westport: Lands west of SR 105 — Ocean Shores-Copalis: Lands west of SR 115 and SR 109 	Cati
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)? Yes = Category I No – Go to SC 6.2	Cat. II
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	
Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac? Yes = Category III No = Category IV	Cat. IV
Category of wetland based on Special Characteristics	
If you answered No for all types, enter "Not Applicable" on Summary Form	

Wetland name or number $\underline{\hspace{1.5cm} A}$

This page left blank intentionally

RATING SUMMARY – Western Washington

Name of wetland (or ID #): <u>Lockwood Cr.</u>	<u>Rd - B</u> Date of site visit: <u>11/20</u> /17
Rated by <u>Kevin Grosz</u>	Trained by Ecology? X YesNo Date of training 12/22/1
HGM Class used for rating Slope	Wetland has multiple HGM classes?Y _X_N
NOTE: Form is not complete witho Source of base aerial photo/ma	put the figures requested (figures can be combined).
OVERALL WETLAND CATEGORY	(based on functions X or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

X Category III – Total score = 16 - 19

Category IV – Total score = 9 - 15

FUNCTION		mpro ater C	ving Quality	Н	ydro	logic		Habit	at	
					Circle	the ap	prop	riate r	atings	
Site Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	Н	М	<u>L</u>	
Landscape Potential	Н	M	L	Н	M	L	<u>H</u>	М	L	
Value	<u>H</u>	М	L	Н	M	L	Н	М	Ē	TOTAL
Score Based on Ratings		6			5			5		16

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H8 = H,H,M7 = H,H,L 7 = H, M, M6 = H,M,L6 = M,M,M5 = H,L,L 5 = M,M,L4 = M,L,L3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY	
Estuarine	I	II
Wetland of High Conservation Value	I	
Bog		I
Mature Forest		I
Old Growth Forest		I
Coastal Lagoon	I	II
Interdunal	I II	III IV
None of the above		

Maps and figures required to answer questions correctly for Western Washington

<u>Depressional Wetlands</u>

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1.	Are the water	levels in the	entire unit usually	v controlled by	v tides excei	ot during f	floods

NO – go to 2

YES – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO - Saltwater Tidal Fringe (Estuarine)

YES - Freshwater Tidal Fringe

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES – The wetland class is **Flats**

If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - __The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
 - __At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO – go to 4

YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
 - X The wetland is on a slope (*slope can be very gradual*),
 - X The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,
 - X The water leaves the wetland **without being impounded**.

NO – go to 5

YES - The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

- 5. Does the entire wetland unit **meet all** of the following criteria?
 - ____The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,
 - ___The overbank flooding occurs at least once every 2 years.

NO – go to 6

YES – The wetland class is **Riverine**

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES - The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

SLOPE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance)	
Slope is 1% or less points = 3	
Slope is > 1%-2% points = 2	
Slope is > 2%-5% points = 1	
Slope is greater than 5% points = 0	1
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you	
have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area points = 6	
Dense, uncut, herbaceous plants > ½ of area points = 3	
Dense, woody, plants > ½ of area points = 2	
Dense, uncut, herbaceous plants > ¼ of area points = 1	
Does not meet any of the criteria above for plants points = 0	0
Total for S 1 Add the points in the boxes above	
Rating of Site Potential If score is: 12 = H 6-11 = M Y 0-5 = I Record the rating on	the first nage

S 2.0. Does the landscape have the potential to support the water quality	y function of the site?	
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land	uses that generate pollutants?	
	Yes = 1 No = 0	1
S 2.2. Are there other sources of pollutants coming into the wetland that are no	t listed in question S 2.1?	1
Other sources	Yes = 1 No = 0	0
Total for \$ 2	Add the points in the hoves above	

Rating of Landscape Potential If score is: X 1-2 = M ___0 = L

Record the rating on the first page

S 3.0. Is the water quality improvement provided by the site valuable	e to society?	
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, riv 303(d) list?	rer, lake, or marine water that is on the Yes = 1 No = 0	1
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue on the 303(d) list.	? At least one aquatic resource in the basin is Yes = 1 No = 0	1
S 3.3. Has the site been identified in a watershed or local plan as important if there is a TMDL for the basin in which unit is found.	for maintaining water quality? <i>Answer YES</i> Yes = 2 No = 0	2
Total for S 3	Add the points in the boxes above	4

Rating of Value If score is: χ 2-4 = H __1 = M __0 = L

Record the rating on the first page

SLOPE WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce floodi	ng and stream eros	ion
S 4.0. Does the site have the potential to reduce flooding and stream erosion?		
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the for the description that best fits conditions in the wetland. Stems of plants should be thick in), or dense enough, to remain erect during surface flows.		
Dense, uncut, rigid plants cover > 90% of the area of the wetland	points = 1	
All other conditions	points = 0	0
Rating of Site Potential If score is: 1 = M × 0 = I	Record the rating on t	he first nage

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess	
surface runoff? Yes = 1 No = 0	1

Rating of Landscape Potential If score is: $\chi 1 = M$ ___0 = L

Record the rating on the first page

S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems:		
The sub-basin immediately down-gradient of site has flooding problems that res	ult in damage to human or	
natural resources (e.g., houses or salmon redds)	points = 2	
Surface flooding problems are in a sub-basin farther down-gradient	points = 1	
No flooding problems anywhere downstream	points = 0	1
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?		
	Yes = 2 No = 0	0
Total for S 6 Add	the points in the boxes above	1

Rating of Value If score is: ____2-4 = H __X __1 = M ____0 = L

Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. Aquatic bed 4 structures or more: points = 4 3 structures: points = 2 _X_Emergent Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon 0 H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 Seasonally flooded or inundated 3 types present: points = 2 X Occasionally flooded or inundated 2 types present: points = 1 Saturated only 1 type present: points = 0 ___Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points Freshwater tidal wetland 2 points 0 H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle If you counted: > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0 1 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Moderate = 2 points Low = 1 point All three diagrams in this row are **HIGH** = 3points

	1		
H 1.5. Special habitat features:			
Check the habitat features that are present in the wetland. The number of checks is the number of points.			
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).			
Standing snags (dbh > 4 in) within the wetland			
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)			
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)			
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree			
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered			
where wood is exposed)			
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are			
permanently or seasonally inundated (structures for egg-laying by amphibians)			
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of			
strata)	0		
Total for H 1 Add the points in the boxes above	1		
Rating of Site Potential If score is:15-18 = H7-14 = MX_0-6 = L			
H 2.0. Does the landscape have the potential to support the habitat functions of the site?			
· · · ·			
H 2.1. Accessible habitat (include <i>only habitat that directly abuts wetland unit</i>).			
Calculate: % undisturbed habitat 0 + [(% moderate and low intensity land uses)/2] 30 = 30 %			
If total accessible habitat is:			
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3			
20-33% of 1 km Polygon points = 2			
10-19% of 1 km Polygon points = 1	2		
< 10% of 1 km Polygon points = 0	_		
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.			
Calculate: % undisturbed habitat 27 + [(% moderate and low intensity land uses)/2] 30 = 57 %			
Undisturbed habitat > 50% of Polygon points = 3			
Undisturbed habitat 10-50% and in 1-3 patches points = 2			
Undisturbed habitat 10-50% and > 3 patches points = 1			
Undisturbed habitat < 10% of 1 km Polygon points = 0	3		
H 2.3. Land use intensity in 1 km Polygon: If			
> 50% of 1 km Polygon is high intensity land use points = (-2)			
\leq 50% of 1 km Polygon is high intensity points = 0	0		
Total for H 2 Add the points in the boxes above	5		
Rating of Landscape Potential If score is: X 4-6 = H1-3 = M<1 = L Record the rating on the	ie first page		
H 3.0. Is the habitat provided by the site valuable to society?	-		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score			
that applies to the wetland being rated.			
Site meets ANY of the following criteria: points = 2			
 — It has 3 or more priority habitats within 100 m (see next page) 			
 It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) 			
It is mapped as a location for an individual WDFW priority species			
 It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 			
 It has been categorized as an important habitat site in a local or regional comprehensive plan, in a 			
Shoreline Master Plan, or in a watershed plan			
Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1			
Site does not meet any of the criteria above points = 0	0		
Rating of Value If score is: 2 = H 1 = M X 0 = L Record the rating on	the first nage		

Wetland Rating System for Western WA: 2014 Update Rating Form – Effective January 1, 2015

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- **Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands Does the wetland meet the following criteria for Estuarine wetlands? — The dominant water regime is tidal, — Vegetated, and	
— With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 <u>No</u> = Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. (If non-native species are Spartina, see page 25) — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	Cat. I
mowed grassland. — The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. Yes = Category I No = Category II	Cat. II
SC 2.0. Wetlands of High Conservation Value (WHCV) SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High Conservation Value? Yes – Go to SC 2.2 No – Go to SC 2.3 SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value? Yes = Category INo = Not a WHCV	Cat. I
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below.</i> If you answer YES you will still need to rate the wetland based on its functions. SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30% cover of plant species listed in Table 4? Yes = Is a Category I bog No — Go to SC 3.4 NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy? Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate the wetland based on its functions.</i>	
 Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more. Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks — The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
 5C 5.1. Does the wetland meet all of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100). — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un- 	Cat. II
mowed grassland. — The wetland is larger than $^{1}/_{10}$ ac (4350 ft ²)	
Yes = Category I No = Category II	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer yes you will still need to rate the wetland based on its habitat functions. In practical terms that means the following geographic areas:	
— Long Beach Peninsula: Lands west of SR 103	Cat I
 — Grayland-Westport: Lands west of SR 105 — Ocean Shores-Copalis: Lands west of SR 115 and SR 109 	Cati
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)? Yes = Category I No – Go to SC 6.2	Cat. II
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No – Go to SC 6.3 SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	Cat. III
Yes = Category III No = Category IV	Cat. IV
Category of wetland based on Special Characteristics	
If you answered No for all types, enter "Not Applicable" on Summary Form	

Wetland name or number B

This page left blank intentionally

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Loci	(WOOd Cr. Rd C	Date of site visit: 12/0//2018	
Rated by Ryan Thiele	Trained by Ecology?	? <u>X</u> YesNo Date of training <u>10/31/</u> 20	018
HGM Class used for rating Dep	ressional Wetland has r	multiple HGM classes?Y _X_N	
-	ete without the figures reques	sted (figures can be combined).	
OVERALL WETLAND CATE	iORY <u>IV</u> (based on function	ons X or special characteristics)	
1. Category of wetland bas Category I - T	sed on FUNCTIONS Total score = 23 - 27	Score for each	

	(C ategory II – Tot	cal score = 20 -	22
	(Category III – To	tal score = 16	- 19
	X(Category IV – To	otal score = 9 - :	15
FUNCT	ION	Improving Water Quality	Hydrologic	ŀ
		•	6: 1 11	

FUNCTION		Improving Water Quality		Н	ydro	logic		Habit	at	
					Circle	the ap	propr	iate ro	itings	
Site Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	Н	М	<u>L</u>	
Landscape Potential	Н	M	L	Н	М	<u>L</u>	<u>H</u>	М	L	
Value	<u>H</u>	М	L	Н	M	L	Н	М	<u>L</u>	TOTAL
Score Based on Ratings		6			4			5		15

Score for each function based on three ratings (order of ratings is not important) 9 = H,H,H 8 = H,H,M 7 = H,H,L 7 = H,M,M 6 = H,M,L 6 = M,M,M 5 = H,L,L 5 = M,M,L 4 = M,L,L 3 = L,L,L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY	
Estuarine	I	II
Wetland of High Conservation Value		I
Bog		I
Mature Forest		I
Old Growth Forest		I
Coastal Lagoon	I	II
Interdunal	I II	III IV
None of the above		

Maps and figures required to answer questions correctly for Western Washington

<u>Depressional Wetlands</u>

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

q	questions 1-7 apply, and go to Question 8	3.
l.	Are the water levels in the entire unit u	sually controlled by tides except during floods?
	<u>NO</u> – go to 2	YES – the wetland class is Tidal Fringe – go to 1.1
1	1.1 Is the salinity of the water during per	iods of annual low flow below 0.5 ppt (parts per thousand)?
		reshwater Tidal Fringe use the forms for Riverine wetlands. If it I rine wetland and is not scored. This method cannot be used to
2.	The entire wetland unit is flat and preciand surface water runoff are NOT source	ipitation is the only source (>90%) of water to it. Groundwater ces of water to the unit.
	NO – go to 3 If your wetland can be classified as a Fla	YES – The wetland class is Flats ats wetland, use the form for Depressional wetlands.
3.	The vegetated part of the wetland is	on the shores of a body of permanent open water (without any he year) at least 20 ac (8 ha) in size;
	<u>NO</u> – go to 4 YES – The	he wetland class is Lake Fringe (Lacustrine Fringe)
ŀ.	The wetland is on a slope (slope canThe water flows through the wetlan	be very gradual), and in one direction (unidirectional) and usually comes from eetflow, or in a swale without distinct banks,
	<u>NO</u> – go to 5	YES – The wetland class is Slope
	NOTE: Surface water does not need in	those type of wetlands except occasionally in yory small and

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that
stream or river,
The overbank flooding occurs at least once every 2 years.

NO - go to 6

YES – The wetland class is **Riverine**

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
D 1.0. Does the site have the potential to improve water quality?		
D 1.1. Characteristics of surface water outflows from the wetland: Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet). points = 3		
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet. points = 2 Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1	3	
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0	
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes): Wetland has persistent, ungrazed, plants > 95% of area Wetland has persistent, ungrazed, plants > $\frac{1}{10}$ of area Wetland has persistent, ungrazed plants > $\frac{1}{10}$ of area Wetland has persistent, ungrazed plants < $\frac{1}{10}$ of area points = 0	0	
D 1.4. Characteristics of seasonal ponding or inundation: This is the area that is ponded for at least 2 months. See description in manual. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is < ½ total area of wetland points = 2 Area seasonally ponded is < ½ total area of wetland points = 0	2	
Total for D 1 Add the points in the boxes above	5	
Rating of Site Potential If score is:12-16 = H6-11 = MX_0-5 = L Record the rating on the first potential to support the water quality function of the site?	ige 	
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	0	
D 2.2. Is $> 10\%$ of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0		
D 2.3. Are there septic systems within 250 ft of the wetland? D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3? Source Yes = 1 No = 0		
Total for D 2 Add the points in the boxes above		
Rating of Landscape Potential If score is: 3 or 4 = H X1 or 2 = M 0 = L Record the rating on the fine	rst page	
D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	1	
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the $303(d)$ list? Yes = 1 No = 0	1	
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in which the unit is found)? Yes = 2 No = 0	2	

DEPRESSIONAL AND FLATS WETLANDS			
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation			
D 4.0. Does the site have the potential to reduce flooding and erosion?			
D 4.1. Characteristics of surface water outflows from the wetland:			
Wetland is a depression or flat depression with no surface water leaving it (no outlet) Points = 4 Wetland has an intermittently flowing stream or ditch. OR highly constricted permanently flowing systems = 3			
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch points = 1	2		
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	_		
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands			
with no outlet, measure from the surface of permanent water or if dry, the deepest part.			
Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7			
Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5			
Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3			
The wetland is a "headwater" wetland points = 3	1		
Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of pending loss than 0.5 ft (6 in)			
Marks of ponding less than 0.5 ft (6 in) points = 0			
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin			
contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of the unit points = 5			
The area of the basin is 10 to 100 times the area of the unit points = 3			
The area of the basin is more than 100 times the area of the unit points = 0	0		
Entire wetland is in the Flats class points = 5			
Total for D 4 Add the points in the boxes above	3		
Rating of Site Potential If score is: 12-16 = H 6-11 = M X 0-5 = L Record the rating on the j			
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?			
D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0	0		
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	0		
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at			
>1 residence/ac, urban, commercial, agriculture, etc.)? Yes = 1 No = 0			
Total for D 5 Add the points in the boxes above	0		
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M X 0 = L Record the rating on the first page			
D 6.0. Are the hydrologic functions provided by the site valuable to society?			
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around			
the wetland unit being rated. Do not add points. <u>Choose the highest score if more than one condition is met.</u>			
The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has			
damaged human or natural resources (e.g., houses or salmon redds):			
• Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2			
• Surface flooding problems are in a sub-basin farther down-gradient. points = 1			
Flooding from groundwater is an issue in the sub-basin. points = 1			
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the			
water stored by the wetland cannot reach areas that flood. Explain why points = 0	1		
There are no problems with flooding downstream of the wetland. points = 0			
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0			
Total for D 6 Add the points in the boxes above			
Total for D.6. Add the points in the hoves above	1		

Rating of Value If score is: $_{2}$ -4 = H $_{X}$ 1 = M $_{0}$ 0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. ___Aquatic bed 4 structures or more: points = 4 X Emergent 3 structures: points = 2 ____Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 Forested (areas where trees have > 30% cover) 1 structure: points = 0 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 Seasonally flooded or inundated 3 types present: points = 2 X Occasionally flooded or inundated 2 types present: points = 1 Saturated only 1 type present: points = 0 ___Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points 0 Freshwater tidal wetland 2 points H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle If you counted: > 19 species points = 2 5 - 19 species points = 1 1 < 5 species points = 0 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Moderate = 2 points Low = 1 point All three diagrams 0 in this row are **HIGH** = 3points

	1	
H 1.5. Special habitat features:		
Check the habitat features that are present in the wetland. The number of checks is the number of points.		
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).		
Standing snags (dbh > 4 in) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)		
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)		
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree		
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered		
where wood is exposed)		
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are		
permanently or seasonally inundated (structures for egg-laying by amphibians)		
X Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of	1	
strata)		
Total for H 1 Add the points in the boxes above	2	
Rating of Site Potential If score is:15-18 = H7-14 = MX_0-6 = L	the first page	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?		
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).		
Calculate: % undisturbed habitat $0 + [(\% \text{ moderate and low intensity land uses})/2] 30 = 30 %$		
If total accessible habitat is:		
$>$ $^{1}/_{3}$ (33.3%) of 1 km Polygon points = 3		
20-33% of 1 km Polygon points = 2		
10-19% of 1 km Polygon points = 1		
	2	
·		
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.		
Calculate: % undisturbed habitat $27 + [(\% \text{ moderate and low intensity land uses})/2] 30 = 57 - \%$		
Undisturbed habitat > 50% of Polygon points = 3		
Undisturbed habitat 10-50% and in 1-3 patches points = 2		
Undisturbed habitat 10-50% and > 3 patches points = 1	3	
Undisturbed habitat < 10% of 1 km Polygon points = 0		
H 2.3. Land use intensity in 1 km Polygon: If		
> 50% of 1 km Polygon is high intensity land use points = (- 2)	0	
≤ 50% of 1 km Polygon is high intensity points = 0		
Total for H 2 Add the points in the boxes above	5	
Rating of Landscape Potential If score is: X 4-6 = H1-3 = M<1 = L Record the rating on	the first page	
H 3.0. Is the habitat provided by the site valuable to society?	-	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score		
that applies to the wetland being rated.		
Site meets ANY of the following criteria: points = 2		
 It has 3 or more priority habitats within 100 m (see next page) 		
 It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) 		
It is mapped as a location for an individual WDFW priority species		
 It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 		
 It has been categorized as an important habitat site in a local or regional comprehensive plan, in a 		
Shoreline Master Plan, or in a watershed plan		
Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1		
Site does not meet any of the criteria above points = 0	0	

Rating of Value If score is: 2 = H 1 = M X 0 = L

Record the rating on the first page

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

- **Aspen Stands**: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- **Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Mother d Time	Catagory
Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
— Vegetated, and	
— With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i> , see page 25)	Cat. I
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
— The wetland has at least two of the following features: tidal channels, depressions with open water, or	Cat. II
contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2.0. Motlands of High Consequation Value (MILOV)	
SC 2.0. Wetlands of High Conservation Value (WHCV) SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 2.2 No – Go to SC 2.3	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4? Yes = Is a Category I bog No - Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	

Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate</i>	
the wetland based on its functions.	
 Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more. Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
C 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
— The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks — The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	
C 5.1. Does the wetland meet all of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	Cat. II
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.	
— The wetland is larger than $^{1}/_{10}$ ac (4350 ft ²)	
Yes = Category I No = Category II	
C 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula: Lands west of SR 103Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
C 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)? Yes = Category I No – Go to SC 6.2	
C 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	
e .	Cat. III
Yes = Category II No – Go to SC 6.3	
Yes = Category II No – Go to SC 6.3 C 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category II No – Go to SC 6.3	Cat. IV

Wetland name or number <u>C</u>

This page left blank intentionally

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Lockwood Cr	. Rd - D Date of site visit: <u>12/06/18</u>
Rated by Ryan Thiele	Trained by Ecology?X YesNo Date of training 10/31/18
HGM Class used for rating Slope	Wetland has multiple HGM classes? Y X N
NOTE: Form is not complete witho Source of base aerial photo/map	put the figures requested (figures can be combined).
OVERALL WETLAND CATEGORY IV	(based on functions X or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

Category III – Total score = 16 - 19

X Category IV – Total score = 9 - 15

FUNCTION		mpro ater C	ving Quality	Н	ydro	logic		Habit	at	
					Circle	the ap	prop	riate r	atings	
Site Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	Н	М	<u>L</u>	
Landscape Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	<u>H</u>	М	L	
Value	<u>H</u>	М	L	Н	M	L	Н	М	<u>L</u>	TOTAL
Score Based on Ratings		5			4			5		14

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H8 = H,H,M7 = H,H,L7 = H,M,M6 = H,M,L6 = M,M,M5 = H,L,L 5 = M,M,L4 = M,L,L3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY	
Estuarine	I	II
Wetland of High Conservation Value	I	
Bog	I	
Mature Forest	I	
Old Growth Forest	I	
Coastal Lagoon	I	II
Interdunal	I II	III IV
None of the above		

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense , rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?

NO – go to 2

YES – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO - Saltwater Tidal Fringe (Estuarine)

YES - Freshwater Tidal Fringe

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES – The wetland class is **Flats**

If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - __The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
 - __At least 30% of the open water area is deeper than 6.6 ft (2 m).

NO – go to 4

YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
 - X The wetland is on a slope (*slope can be very gradual*),
 - X The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,
 - X The water leaves the wetland **without being impounded**.

NO – go to 5

YES - The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

- 5. Does the entire wetland unit **meet all** of the following criteria?
 - ____The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,
 - ___The overbank flooding occurs at least once every 2 years.

NO – go to 6

YES – The wetland class is **Riverine**

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

SLOPE WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance) Slope is 1% or less points = 3	
Slope is > 1%-2% points = 2 Slope is > 2%-5% points = 1	1
Slope is greater than 5% points = 0 S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area Dense, uncut, herbaceous plants > ½ of area Dense, woody, plants > ½ of area Dense, uncut, herbaceous plants > ¼ of area Does not meet any of the criteria above for plants points = 0 points = 6 points = 3 points = 2 points = 1 points = 0	0
Total for S 1 Add the points in the boxes above	1

Rating of Site Potential If score is: 12 = H 6-11 = M X 0-5 = L

Record the rating on the first page

S 2.0. Does the landscape have the potential to support the water quality function of the site?	
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants? Yes = 1 No = 0	0
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1? Other sources Yes = 1 No = 0	0
Total for S 2 Add the points in the boxes above	0

Rating of Landscape Potential If score is: $1-2 = M \times 0 = L$

Record the rating on the first page

S 3.0. Is the water quality improvement provided by the site valuable to society?	
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No =	0 1
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin on the 303(d) list. Yes = 1 No =	
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? <i>Answer if there is a TMDL for the basin in which unit is found.</i> Yes = 2 No =	1 7
Total for S 3 Add the points in the boxes above	/e 4

Rating of Value If score is: $\underline{\chi}$ 2-4 = H $\underline{\hspace{1cm}}$ 1 = M $\underline{\hspace{1cm}}$ 0 = L

Record the rating on the first page

SLOPE WETLANDS			
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion			
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	-		
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points app for the description that best fits conditions in the wetland. Stems of plants should be thick enough (use in), or dense enough, to remain erect during surface flows.			
	oints = 1 oints = 0	0	

Rating of Site Potential If score is: $_{1} = M \times _{2} 0 = L$

Record the rating on the first page

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess	
surface runoff? Yes = 1 No = 0	0

Rating of Landscape Potential If score is: $1 = M \times 0 = L$

Record the rating on the first page

S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems:		
The sub-basin immediately down-gradient of site has flooding problems that resul natural resources (e.g., houses or salmon redds)	It in damage to human or points = 2	
Surface flooding problems are in a sub-basin farther down-gradient No flooding problems anywhere downstream	points = 2 points = 1 points = 0	1
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0		
Total for S 6 Add th	ne points in the boxes above	1

Rating of Value If score is: 2-4 = H $X_1 = M$ 0 = L

Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. Aquatic bed 4 structures or more: points = 4 3 structures: points = 2 _X_Emergent Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) 0 that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 X Seasonally flooded or inundated 3 types present: points = 2 X Occasionally flooded or inundated 2 types present: points = 1 Saturated only 1 type present: points = 0 ___Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points Freshwater tidal wetland 2 points 1 H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle If you counted: > 19 species points = 2 5 - 19 species points = 1 1 < 5 species points = 0 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Moderate = 2 points Low = 1 point All three diagrams in this row are **HIGH** = 3points 0

H 1.5. Special habitat features:	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).	
Standing snags (dbh > 4 in) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1	m)
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered	
where wood is exposed)	
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)	
X Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of	1
strata)	
Total for H 1 Add the points in the boxes above	/e 2
Rating of Site Potential If score is:15-18 = H7-14 = MX_0-6 = L	g on the first page
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	
Calculate: % undisturbed habitat 0 + [(% moderate and low intensity land uses)/2] 28 = 28 %	
If total accessible habitat is:	
$>$ $^{1}/_{3}$ (33.3%) of 1 km Polygon points =	3
20-33% of 1 km Polygon points =	
10-19% of 1 km Polygon points =	1
< 10% of 1 km Polygon points =	
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	
Calculate: % undisturbed habitat $\frac{32}{32}$ + [(% moderate and low intensity land uses)/2] 28 = $\frac{60}{32}$ %	
Undisturbed habitat > 50% of Polygon points =	2
Undisturbed habitat 10-50% and in 1-3 patches points =	
Undisturbed habitat 10-50% and > 3 patches points =	
Undisturbed habitat < 10% of 1 km Polygon points =	_
H 2.3. Land use intensity in 1 km Polygon: If	0 3
	2)
	0
Total for H 2 Add the points in the boxes above	
Rating of Landscape Potential If score is: X 4-6 = H 1-3 = M < 1 = L Record the rating	on the first page
H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest sco	re
that applies to the wetland being rated.	
Site meets ANY of the following criteria: points =	2
 It has 3 or more priority habitats within 100 m (see next page) 	
 It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lis 	ts)
 It is mapped as a location for an individual WDFW priority species 	
 It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 	
 It has been categorized as an important habitat site in a local or regional comprehensive plan, in a 	
Shoreline Master Plan, or in a watershed plan	
Site has 1 or 2 priority habitats (listed on next page) within 100 m points =	1
Site does not meet any of the criteria above points =	0 0
	g on the first page

Wetland Rating System for Western WA: 2014 Update Rating Form – Effective January 1, 2015

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- **Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
 Vegetated, and With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 No= Not an estuarine wetland 	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	I
than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i> , see page 25)	Cat. I
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	Cat. II
— The wetland has at least two of the following features: tidal channels, depressions with open water, or	Cat. II
contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 2.2 <u>No</u> – Go to SC 2.3	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	I
Yes = Category INo = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf Yes — Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?	
Yes – Go to SC 3.3 No = Is not a bog SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4? Yes = Is a Category I bog No – Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	L

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate the wetland based on its functions.</i>	
 Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more. Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the 	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	
Yes = Category I No = Not a forested wetland for this section	Cat. I
C 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
C 5.1. Does the wetland meet all of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.	
— The wetland is larger than $^{1}/_{10}$ ac (4350 ft ²) Yes = Category I No = Category II	
C 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula: Lands west of SR 103Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
C 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)? Yes = Category I No – Go to SC 6.2	
C 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	
Yes = Category II No – Go to SC 6.3	Cat. III
C 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	Cat. IV

Wetland name or number \underline{D}

This page left blank intentionally

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Lockwood Cr.	Rd E Date of site visit: 12/07/2018
Rated by Ryan Thiele	Trained by Ecology? X YesNo Date of training 10/31/2018
HGM Class used for rating Depressional	Wetland has multiple HGM classes?Y XN
NOTE: Form is not complete witho Source of base aerial photo/map	out the figures requested (figures can be combined).
OVERALL WETLAND CATEGORY	(based on functions X or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 - 27

Category II – Total score = 20 - 22

Category III – Total score = 16 - 19

X Category IV – Total score = 9 - 15

FUNCTION	Improving Water Quality			Hydrologic				Habitat		
					Circle	the ap	prop	riate i	ratings	
Site Potential	Н	М	<u>L</u>	Н	М	<u>L</u>	Н	М	<u>L</u>	
Landscape Potential	Н	M	L	Н	М	<u>L</u>	<u>H</u>	М	L	
Value	<u>H</u>	М	L	Н	M	L	Н	М	Ī	TOTAL
Score Based on Ratings	6		4		5			15		

Score for each function based on three ratings (order of ratings is not *important)* 9 = H,H,H8 = H,H,M7 = H,H,L7 = H,M,M6 = H,M,L6 = M,M,M5 = H,L,L5 = M,M,L4 = M,L,L3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY	
Estuarine	I	II
Wetland of High Conservation Value	I	
Bog	I	
Mature Forest	I	
Old Growth Forest	I	
Coastal Lagoon	I	II
Interdunal	I II	III IV
None of the above		

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8. 1. Are the water levels in the entire unit usually controlled by tides except during floods? NO – go to 2 **YES** – the wetland class is **Tidal Fringe** – go to 1.1 1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES - Freshwater Tidal Fringe NO - Saltwater Tidal Fringe (Estuarine)** If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands. 2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. **YES** – The wetland class is **Flats** NO - go to 3If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands. 3. Does the entire wetland unit **meet all** of the following criteria? ___The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size: __At least 30% of the open water area is deeper than 6.6 ft (2 m).

4. Does the entire wetland unit **meet all** of the following criteria?

___The wetland is on a slope (*slope can be very gradual*).

The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,

YES - The wetland class is **Lake Fringe** (Lacustrine Fringe)

___The water leaves the wetland **without being impounded**.

NO – go to 5

NO – go to 4

YES - The wetland class is **Slope**

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

5. Does the entire wetland unit **meet all** of the following criteria?

___The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,

___The overbank flooding occurs at least once every 2 years.

NO – go to 6

YES – The wetland class is **Riverine**

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

Water Quality Functions - Indicators that the site functions to improve water quality	
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland:	
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet). points = 3	
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet. points = 2 Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1	2
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1	
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes): Wetland has persistent, ungrazed, plants > 95% of area Wetland has persistent, ungrazed, plants > $\frac{1}{10}$ of area Wetland has persistent, ungrazed plants > $\frac{1}{10}$ of area Wetland has persistent, ungrazed plants < $\frac{1}{10}$ of area points = 0	0
D 1.4. Characteristics of seasonal ponding or inundation: This is the area that is ponded for at least 2 months. See description in manual. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is < ½ total area of wetland Area seasonally ponded is < ½ total area of wetland points = 2 points = 0	2
Total for D 1 Add the points in the boxes above	4
Rating of Site Potential If score is:12-16 = H6-11 = MX_0-5 = L Record the rating on the first potential to support the water quality function of the site?	ige
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	0
D 2.2. Is $> 10\%$ of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0	1
D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3? Source Yes = 1 No = 0	0
Total for D 2 Add the points in the boxes above	1
Rating of Landscape Potential If score is:3 or $4 = H$ X_1 or $2 = M$ 0 = L Record the rating on the fit	rst page
D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	1
303(d) list? Yes = 1 No = 0	1
	1
	2

DEPRESSIONAL AND FLATS WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradati	on
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland: Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	2
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part. Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 The wetland is a "headwater" wetland points = 3 Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft (6 in) points = 0	1
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of the unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire wetland is in the Flats class points = 5	0
Total for D 4 Add the points in the boxes above	3
Rating of Site Potential If score is:12-16 = H6-11 = M \times 0-5 = L Record the rating on the	first page
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?	
D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0	0
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? Yes = 1 No = 0	0
Total for D 5 Add the points in the boxes above	0
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M X 0 = L Record the rating on the	first page
D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds): • Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2 • Surface flooding problems are in a sub-basin farther down-gradient. points = 1 Flooding from groundwater is an issue in the sub-basin.	
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why points = 0 There are no problems with flooding downstream of the wetland. points = 0	1
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	

Rating of Value If score is: $_{2}$ -4 = H $_{X}$ 1 = M $_{0}$ 0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. ___Aquatic bed 4 structures or more: points = 4 X Emergent 3 structures: points = 2 ____Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 Forested (areas where trees have > 30% cover) 1 structure: points = 0 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 X Seasonally flooded or inundated 3 types present: points = 2 X Occasionally flooded or inundated 2 types present: points = 1 Saturated only 1 type present: points = 0 ___Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points 1 Freshwater tidal wetland 2 points H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle If you counted: > 19 species points = 2 5 - 19 species points = 1 1 points = 0 < 5 species H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Moderate = 2 points Low = 1 point All three diagrams 0 in this row are **HIGH** = 3points

H 1.5. Special habitat features:					
Check the habitat features that are present in the wetland. The number of checks is the number of points.	I				
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).					
Standing snags (dbh > 4 in) within the wetland					
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)					
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	1				
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	I				
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered	1				
where wood is exposed)	I				
At least $lpha$ ac of thin-stemmed persistent plants or woody branches are present in areas that are	I				
permanently or seasonally inundated (structures for egg-laying by amphibians)	I				
X Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of	1				
strata)					
Total for H 1 Add the points in the boxes above	3				
Rating of Site Potential If score is:15-18 = H7-14 = MX_0-6 = L	the first page				
H 2.0. Does the landscape have the potential to support the habitat functions of the site?					
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).					
Calculate: % undisturbed habitat $0 + [(\% \text{ moderate and low intensity land uses})/2] 29.5 = 29.5 %$					
If total accessible habitat is:					
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3					
20-33% of 1 km Polygon points = 2					
10-19% of 1 km Polygon points = 1					
< 10% of 1 km Polygon points = 0	2				
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.					
Calculate: % undisturbed habitat 31 + [(% moderate and low intensity land uses)/2] 29.5 = 60.5 %	I				
Undisturbed habitat > 50% of Polygon points = 3	I				
Undisturbed habitat 10-50% and in 1-3 patches points = 2	I				
Undisturbed habitat 10-50% and > 3 patches points = 1					
Undisturbed habitat < 10% of 1 km Polygon points = 0	3				
H 2.3. Land use intensity in 1 km Polygon: If					
> 50% of 1 km Polygon is high intensity land use points = (- 2)					
\leq 50% of 1 km Polygon is high intensity and use \leq 50% of 1 km Polygon is high intensity points = 0	0				
	5				
·					
Rating of Landscape Potential If score is: X 4-6 = H 1-3 = M < 1 = L Record the rating on the	ie jirst page				
H 3.0. Is the habitat provided by the site valuable to society?					
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score					
that applies to the wetland being rated.					
Site meets ANY of the following criteria: points = 2					
 — It has 3 or more priority habitats within 100 m (see next page) 					
— It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)					
 — It is mapped as a location for an individual WDFW priority species 					
 — It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 					
 It has been categorized as an important habitat site in a local or regional comprehensive plan, in a 					
Shoreline Master Plan, or in a watershed plan					
Site has 1 or 2 priority habitats (listed on next page) within 100 m	l				

Site does not meet any of the criteria above

Rating of Value If score is: ___2 = H ___1 = M __X_0 = L

Record the rating on the first page

0

points = 0

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- **Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Wetland Type	Catagory
wetianu Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
— Vegetated, and	
— With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
than 10% cover of non-native plant species. (If non-native species are Spartina, see page 25)	Cat. I
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	Cat. II
— The wetland has at least two of the following features: tidal channels, depressions with open water, or	0000
contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 2.2 No – Go to SC 2.3	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4? Yes = Is a Category I bog No - Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy? Yes = Is a Category I bog No = Is not a bog	
res = is a category i bog Not a bog	


SC 4.0. Forested Wetlands	
Does the wetland have at least 1 contiguous acre of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate the wetland based on its functions.</i>	
 Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more. Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
SC 5.1. Does the wetland meet all of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
 — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or unmowed grassland. — The wetland is larger than ¹/₁₀ ac (4350 ft²) 	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer yes you will still need to rate the wetland based on its habitat functions. In practical terms that means the following geographic areas:	
— Long Beach Peninsula: Lands west of SR 103	
— Grayland-Westport: Lands west of SR 105	Cat I
— Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)? Yes = Category I No – Go to SC 6.2	Cat. II
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No - Go to SC 6.3 SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	Cat. III
Yes = Category III No = Category IV	Cat. IV
Category of wetland based on Special Characteristics If you answered No for all types, enter "Not Applicable" on Summary Form	N/A

Wetland name or number <u>E</u>

This page left blank intentionally

APPENDIX B1. WETLAND RATING FORM FIGURES.

- **B1 COWARDIN VEGETATION MAP**
- **B2 HYDROPERIOD MAP**
- B3 WETLAND A LAND USE INTENSITY MAP
- B4 WETLAND B LAND USE INTENSITY MAP
- **B5 WATER QUALITY ASSESSMENT MAP**
- B6 LIST OF TMDLS FOR PROJECT WATERSHED



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Cowardin Vegetation Map N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Hydroperiod Map N.E. Lockwood Creek Road La Center, Washington




PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Wetland A - Land Use Intensity Map N.E. Lockwood Creek Road La Center, Washington




PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.
NEAR: La Center, Washington **COUNTY:** Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment


Wetland B - Land Use Intensity Map N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:

East Fork of the Lewis River
LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.
NEAR: La Center, Washington COUNTY: Clark County
DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Wetland C - Land Use Intensity Map N.E. Lockwood Creek Road La Center, Washington




PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Wetland D - Land Use Intensity Map N.E. Lockwood Creek Road La Center, Washington



222 E. Evergreen Blvd., Vancouver, WA 98660 ph: 360-693-4555 fax: 360-699-6242


PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Wetland E - Land Use Intensity Map N.E. Lockwood Creek Road La Center, Washington




PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018



La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

Ecology 303(d) Listed Waters N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.
NEAR: La Center, Washington
COUNTY: Clark County
DATE: December 13, 2018

Approved WQA Page 1 of 1



Washington State Water Quality Assessment 303(d)/305(b) List

Assessment WQ Search Tool

Contact Us

New Search

WQ Atlas

Refine Search

Export to File

4 Matched Listings

The 303(d) List contains only Category 5 Listings.

View	ListingID	Assesssment Unit ID	Medium	<u>Parameter</u>	Current Category	Waterbody Name	WRIA	WQ Improvement Project	WQ Atlas Map Link
View	7819	17080002000336	Water	Bacteria	5	LOCKWOOD CREEK	27 - Lewis		7819
View	7820	17080002000336	Water	Temperature	5	LOCKWOOD CREEK	27 - Lewis		7820
View	46224	17080002000338	Water	Bacteria	5	LOCKWOOD CREEK	27 - Lewis		<u>46224</u>
View	70061	17080002000336	Other	Bioassessment	5	LOCKWOOD CREEK	27 - Lewis		70061

New Search

Refine Search

Export to File

Ecology Home Page| Disclaimer| Privacy Notice| Accessibility| Release Notes Approved WQA Version: 1.0.7

APPLICANT:

La Center School District 725 Northeast Highland Avenue La Center, WA 98629

PURPOSE: Revised Wetland Delineation & Assessment

TMDLs for the Project Watershed N.E. Lockwood Creek Road La Center, Washington



PROPOSED ACTIVITIES IN:

East Fork of the Lewis River

LEGAL: SE & NE 1/4s of Section 02, T4N,

R1E, W. M.

NEAR: La Center, Washington COUNTY: Clark County DATE: December 13, 2018 Figure B6